



CIGNA MEDICAL COVERAGE POLICY

The following Coverage Policy applies to all health benefit plans administered by CIGNA Companies including plans formerly administered by Great-West Healthcare, which is now a part of CIGNA.

Effective Date 6/15/2010
Next Review Date 6/15/2012
Coverage Policy Number 0046

Subject Breast Pumps

Table of Contents

Coverage Policy	1
General Background	1
Coding/Billing Information	3
References	4
Policy History	5

Hyperlink to Related Coverage Policies

Frenulotomy/Frenuloplasty for Ankyloglossia
 Pediatric Intensive Feeding Programs
 Speech Therapy for Swallowing and Feeding Disorders

INSTRUCTIONS FOR USE

Coverage Policies are intended to provide guidance in interpreting certain **standard** CIGNA HealthCare benefit plans. Please note, the terms of a customer's particular benefit plan document [Group Service Agreement (GSA), Evidence of Coverage, Certificate of Coverage, Summary Plan Description (SPD) or similar plan document] may differ significantly from the standard benefit plans upon which these Coverage Policies are based. For example, a customer's benefit plan document may contain a specific exclusion related to a topic addressed in a Coverage Policy. In the event of a conflict, a customer's benefit plan document **always supercedes** the information in the Coverage Policies. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of 1) the terms of the applicable benefit plan document in effect on the date of service; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Coverage Policies and; 4) the specific facts of the particular situation. Coverage Policies relate exclusively to the administration of health benefit plans. Coverage Policies are not recommendations for treatment and should never be used as treatment guidelines. Proprietary information of CIGNA. Copyright ©2011 CIGNA

Coverage Policy

Coverage for breast pumps is subject to the terms, conditions and limitations of the applicable benefit plan's Durable Medical Equipment (DME) benefit and schedule of copayments. Please refer to the applicable benefit plan document to determine benefit availability and the terms, conditions, and limitations of coverage. Under many benefit plans, coverage for DME is limited to the lowest-cost alternative.

If coverage is available for breast pumps, the following conditions of coverage apply.

CIGNA covers a breast pump as medically necessary when EITHER of the following criteria is met:

- The infant and mother are separated due to hospitalization, and direct breastfeeding is not possible.
- The infant has a medical condition or congenital anomaly that prevents effective breastfeeding.

General Background

It is recommended that most infants, with some exceptions, be breast-fed and/or receive expressed human milk. Breast milk is widely acknowledged as the ideal source of nutrition for infants, with compelling advantages such as a decreased incidence of a number of acute and chronic diseases, widely documented in the literature. Also, preterm infants who receive breast milk have been reported to experience greatly reduced rates of sepsis and necrotizing enterocolitis compared to infants who receive milk substitutes. Breast milk has also been associated

with enhanced retinal development and visual acuity in preterm infants (American Academy of Family Physicians [AAFP], 2008). There are conditions for which breastfeeding is contraindicated including infants with galactosemia, mothers infected with human immunodeficiency virus, and mothers with active untreated tuberculosis (American Academy of Pediatrics [AAP], 2005).

Breast Pumps

Breast pumps are medical devices used by breastfeeding women to extract or express their breast milk. The devices may be hand- (manual), battery- or electrically operated. The manual pump, which resembles a bicycle horn, is not recommended for use because it cannot be cleaned properly, and milk may become contaminated (AAP). Manual breast pumps are designed to use the strength of the hand or arm muscles for pumping one breast at a time. Battery-operated pumps use batteries for creating suction, thus minimizing muscle fatigue. Most are designed for pumping one breast at a time and are suggested for occasional use (American College of Nurse Midwives [ACNM], 2002). For most women, electric pumps stimulate the breast more effectively than manual expression or hand pumps. Electric pumps are used mainly to continue breastfeeding when a mother is not able to breastfeed for several days or more. Hospital grade models are recommended and typically used during an extended separation of mother and infant due to hospitalization caused by illness or prematurity.

U.S. Food and Drug Administration (FDA)

Manual breast pumps are considered Class I medical devices, requiring manufacturers to register the device with the FDA. Powered breast pumps are considered Class II medical devices, requiring that manufacturers submit a premarket 510(k) notification to the FDA.

Literature Review

The safety and effectiveness of breast pumps, primarily standard electric and hospital grade pumps, have been demonstrated by several randomized controlled trials (RCTs) (Hopkinson and Heird, 2009; Hayes, et al., 2008; Meier, et al., 2008; Slusher, et al., 2007). A Cochrane review (n=9 RCTs/quasi-RCTs; 514 subjects) by Becker et al. (2008) compared one method of milk expression to other(s). These trials evaluated hand expression and manual, battery and electric pumps for outcomes that included maternal acceptability, effectiveness and safety. There was no difference found in volumes of milk obtained between simultaneous pumping and sequential pumping. Both the foot-powered double pump and the electric powered double pump tested provided a greater mean volume than hand expression, over six days' pumping in the first two weeks after birth. The difference was not statistically significant between the volumes obtained from the foot-powered double pump or the electric-powered double pump version, or between the manual pump and the electric pump tested. Greater total volumes of milk were found to be obtained using the electric or foot powered pump tested compared to hand expression. It was noted that the very small sample sizes and very wide standard deviations in the trials from five different countries mean the findings may not be applicable to other women. Also, within the categories of pump type, such as manual or electric, not all the pumps were the same brand or worked in a similar way.

Despite the lack of evidence comparing the different types of breast pumps and demonstrating superiority of one over another, health professionals routinely recommend the use of a hospital grade electric breast pump with a double collection system for mothers of neonates in special care nurseries, in order to create and sustain an adequate milk supply (Slusher, et al., 2007; Meier, 2001).

Professional Societies/Organizations

The AAFP position paper on breastfeeding states that the optimal method for expressing milk varies with the length of the mother's absence from the infant and maternal preference. For occasional brief absences, hand expression and/or the use of a hand pump is usually sufficient. The longer and more frequent the separations, the more important it is for the mother to use a hospital grade double-pumping electric pump. This is especially important in cases of maternal-infant separation caused by illness or prematurity (AAFP, 2008).

According to the AAP, breastfeeding should be continued for at least the first year of life and beyond for as long as mutually desired by mother and child. If hospitalization of the breastfeeding mother or infant becomes necessary, every effort should be made to maintain breastfeeding, preferably directly or, if necessary, by pumping the breasts and feeding expressed milk (AAP, 2005).

The Academy of Breastfeeding Medicine (ABM) states that mothers who are separated from their sick or premature infants are to be instructed on the use hand expression or the double set up electric breast pump to maintain an adequate milk supply. According to the ABM, preliminary evidence suggested that greater volumes

may be obtained with electric, hospital grade pumps. Therefore, whenever possible, use of this type of pump is recommended (ABM, 2004).

Exclusive breastfeeding is recommended for the first six months of life by the AAP, the American College of Obstetricians and Gynecologists (ACOG), the AAFP, the World Health Organization (WHO) and many other health organizations. Continued breastfeeding after the age of six months to one year of age with the addition of complementary foods is also supported by these organizations as the ideal feeding pattern for infants. The U.S. Department of Health and Human Services (DHHS) Healthy People 2010 initiative has set objectives for breastfeeding which include increasing initiation rates to 75% and prolonged breastfeeding rates to 50% and 25% at six and 12 months, respectively (Center for Disease Control and Prevention [CDC], 2009).

Summary

There is widespread support in the medical literature regarding the advantages of breast milk for infants, including premature infants or infants with medical conditions or anomalies who cannot breastfeed effectively. Breast pumping, either by manual expression or by the use of a pump, may be needed to develop and maintain an adequate milk supply for breastfeeding when an infant and mother are separated due to hospitalization, or when effective breastfeeding is not possible due to an infant's medical condition or congenital anomaly.

Coding/Billing Information

Note: This list of codes may not be all-inclusive.

Covered when medically necessary:

HCPSC Codes	Description
A4281	Tubing for breast pump, replacement
A4282	Adapter for breast pump, replacement
A4283	Cap for breast pump bottle, replacement
A4284	Breast shield and splash protector for use with breast pump, replacement
A4285	Polycarbonate bottle for use with breast pump, replacement
A4286	Locking ring for breast pump, replacement
E0602	Breast pump, manual, any type
E0603	Breast pump, electric (AC and/or DC), any type
E0604	Breast pump, heavy duty, hospital grade, piston operated, pulsatile vacuum suction/release cycles, vacuum regulator, supplies, transformer, electric (AC and/or DC)

ICD-9-CM Diagnosis Codes	Description
749.00 – 749.25	Cleft palate and cleft lip
750.0	Tongue tie
750.10 – 750.19	Other anomalies of tongue
750.21 – 750.29	Other specified anomalies of mouth and pharynx
779.31 – 779.34	Disorder of stomach function and feeding problems in newborn
783.3	Feeding difficulties and mismanagement
V24.1	Lactating mother

*Current Procedural Terminology (CPT®) © 2010 American Medical Association: Chicago, IL.

References

1. Academy of Breastfeeding Medicine Clinical Protocol Committee. ABM Clinical Protocol #2 (2007 revision): guidelines for hospital discharge of the breastfeeding term newborn and mother: "the going home protocol". *Breastfeed Med*. 2007 Sep;2(3):158-65.
2. Academy Of Breastfeeding Medicine (ABM). Protocol #10: Breastfeeding the near-term infant (35 to 37 weeks gestation). Accessed Mar 5, 2009. Available at URL address: <http://www.bfmed.org/Resources/Protocols.aspx>
3. Academy Of Breastfeeding Medicine (ABM). Clinical Protocol Number #12: Transitioning the Breastfeeding/Breastmilk-fed Premature Infant from the Neonatal Intensive Care Unit to Home. 2004 Sep. Accessed Mar 5, 2009. Available at URL address: <http://www.bfmed.org/Resources/Protocols.aspx>
4. American Academy of Family Physicians (AAFP). Breastfeeding, Family Physicians Supporting (Position Paper). 2001, 2008. Accessed Mar 5, 2009. Available at URL address: <http://www.aafp.org/online/en/home/policy/policies/b/breastfeedingpositionpaper.html>
5. American Academy of Pediatrics (AAP). Breastfeeding and the use of human milk. *Pediatrics*. 2005 Feb;115:496-506. Accessed Mar 5, 2008. Available at URL address: <http://aappolicy.aappublications.org/cgi/reprint/pediatrics;115/2/496.pdf>
6. American College of Nurse Midwives (ACNM). How to choose a breast pump. Accessed Mar 5, 2008. Available at URL address: <http://www.gotmom.org/benefits/breastpumps.htm>
7. American Medical Association (AMA) Council on Scientific Affairs. Factors That Influence Differences in Breastfeeding Rates. 2005 Jun. Accessed Feb 24, 2006. Available at URL address: <http://www.ama-assn.org/ama/pub/category/print/15169.html>
8. Becker GE, McCormick FM, Renfrew MJ. Methods of milk expression for lactating women. *Cochrane Database Syst Rev*. 2008 Oct 8;(4):CD006170.
9. Centers for Disease Control and Prevention (CDC); U.S. Department of Health and Human Services (DHHS). Breastfeeding: Policies: Healthy People 2010 Objectives for the Nation. Last updated 2009 Oct 20. Accessed May 4, 2010. Available at URL address: <http://www.cdc.gov/breastfeeding/policies/policy-hp2010.htm>.
10. Chulada PC, Arbes SJ Jr., Dunson D, Zeldin DC. Breast-feeding and the prevalence of asthma and wheeze in children: analyses from the Third National Health and Nutrition Examination Survey, 1988-1994. *J Allergy Clin Immunol*. 2003 Feb;111(2):328-36.
11. Hayes DK, Prince CB, Espinueva V, Fuddy LJ, Li R, Grummer-Strawn LM. Comparison of manual and electric breast pumps among WIC women returning to work or school in Hawaii. *Breastfeed Med*. 2008 Mar;3(1):3-10.
12. Hopkinson J, Heird W. Maternal response to two electric breast pumps. *Breastfeed Med*. 2009 Mar;4(1):17-23.
13. Kramer MS, Kakuma R. The optimal duration of exclusive breastfeeding: a systematic review. *Adv Exp Med Biol*. 2004;554:63-77.
14. La Leche League International. How do I choose a breast pump? Frequently asked questions. Accessed Feb 22, 2005. Available at URL address: <http://www.lalecheleague.org/FAQ/pump.html>

15. Meier PP, Engstrom JL, Hurst NM, Ackerman B, Allen M, Motykowski JE, et al. A comparison of the efficiency, efficacy, comfort, and convenience of two hospital-grade electric breast pumps for mothers of very low birthweight infants. *Breastfeed Med.* 2008 Sep;3(3):141-50.
16. U.S. Food and Drug Administration (FDA). Nonpowered breast pump. Code of federal regulations. Center for Devices and Radiological Health. Revised 2004 Apr 1. Accessed Feb 22, 2005. Available at URL address: <http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?FR=884.5150>
17. U.S. Food and Drug Administration (FDA). Powered breast pump. Code of federal regulations. Center for Devices and Radiological Health. Revised 2004 Apr 1. Accessed Feb 22, 2005. Available at URL address: <http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?FR=884.5160>

Policy History

<u>Pre-Merger Organizations</u>	<u>Last Review Date</u>	<u>Policy Number</u>	<u>Title</u>
CIGNA HealthCare	4/15/2007	0046	Breast Pumps

“CIGNA”, “CIGNA HealthCare” and the “Tree of Life” logo are registered service marks of CIGNA Intellectual Property, Inc., licensed for use by CIGNA Corporation and its operating subsidiaries. All products and services are provided by such operating subsidiaries and not by CIGNA Corporation. Such operating subsidiaries include Connecticut General Life Insurance Company, CIGNA Health and Life Insurance Company, CIGNA Behavioral Health, Inc., CIGNA Health Management, Inc., and HMO or service company subsidiaries of CIGNA Health Corporation and CIGNA Dental Health, Inc. In Arizona, HMO plans are offered by CIGNA HealthCare of Arizona, Inc. In California, HMO plans are offered by CIGNA HealthCare of California, Inc. In Connecticut, HMO plans are offered by CIGNA HealthCare of Connecticut, Inc. In North Carolina, HMO plans are offered by CIGNA HealthCare of North Carolina, Inc. In Virginia, HMO plans are offered by CIGNA HealthCare Mid-Atlantic, Inc. All other medical plans in these states are insured or administered by Connecticut General Life Insurance Company or CIGNA Health and Life Insurance Company.