

A GUIDE TO CIGNA'S PREVENTIVE HEALTH COVERAGE

For health care professionals



Introduction

Cigna's preventive care coverage complies with the Patient Protection and Affordable Care Act (PPACA). Services designated as preventive care include periodic well visits, routine immunizations, and certain designated screenings for symptom-free or disease-free individuals. They also include designated services for individuals at increased risk for a particular disease.

Patient's payment responsibility

The PPACA requires non-grandfathered health benefit plans to cover preventive care services with no patient cost-sharing. The majority of the benefit plans Cigna administers are non-grandfathered plans and therefore cover the full cost of preventive care services without copay or coinsurance. Typically, these services must be provided by in-network health care professionals. There are some exceptions.

To determine whether or not your patient's Cigna-administered plan covers preventive care and at what coverage level (100% or patient cost share), visit the Cigna for Health Care Professionals website (CignaforHCP.com) to verify benefit and eligibility information, or call **800.88Cigna (800.882.4462)**.

Preventive care services

The PPACA has designated specific resources that identify the preventive services required for coverage.

- ▶ U.S. Preventive Services Task Force (USPSTF) A and B recommendations.
- ▶ Advisory Committee on Immunization Practices (ACIP) recommendations that have been adopted by the Director of the Centers for Disease Control and Prevention. Recommendations of the ACIP appear in three immunization schedules.
 - Guidelines for infants, children and adolescents appear in two charts: The periodicity schedule of the Bright Futures Recommendations for Pediatric Preventive Health Care, and the Uniform Panel of the Secretary's Advisory Committee on Heritable Disorders in Newborns and Children.
 - Guidelines specifically issued for women.
- ▶ In addition, Cigna covers prostate cancer screening and virtual colonoscopy for colorectal cancer screening as covered preventive services.

Consult the federal government website for more information about preventive recommendations and implementation of the PPACA regulations:

healthcare.gov/news/factsheets/2010/07/preventive-services-list.html.

Together, all the way.®



Offered by: Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company or their affiliates.

807467 J 02/16

Coding for preventive services

Correctly coding preventive care services is essential.

- Submit the preventive care services with ICD-10 codes that represent health services encounters that are not for the treatment of illness or injury.
- Place the ICD-10 code in the first diagnosis position of the claim form (see the list of designated “Z codes” in the following table).
- Use CPT coding designated as “Preventive Medicine Evaluation and Management Services” to differentiate preventive services from problem-oriented evaluation and management office visits (99381-99397, 99461, 99401-99404, S0610, S0612).
- Preventive care service claims submitted with diagnosis codes that represent treatment of illness or injury as the primary (first) diagnosis on the claim, will be paid as applicable under normal medical benefits rather than preventive care coverage.
- Nonpreventive care services incorrectly coded as “Preventive Medicine Evaluation and Management Services” will not be covered as preventive care.
- For reference purposes, this guide includes the ICD-9 codes that were effective for services provided prior to 10/01/2015. For services provided on or after 10/01/2015, ICD-10 codes must be used.
- Note that Cigna claim systems are not yet configured to process preventive service claims solely based on the presence of modifier 33, which was developed by the industry in response to the PPACA’s preventive service requirements. We will notify you when our claim systems can accept and recognize modifier 33.

Screening versus diagnostic, monitoring or surveillance testing

A positive result on a preventive screening exam does not alter its classification as a preventive service but does influence how that service is classified when rendered in the future.

One example is a screening colonoscopy that is performed on an asymptomatic individual, who has not been diagnosed with the target condition of colorectal cancer or has been identified as having additional risk factors for colorectal cancer, such as adenomatous polyps, or inflammatory bowel disease. If the screening colonoscopy detects colorectal cancer or polyps, the purpose of the procedure remains a preventive screening colonoscopy, not a diagnostic colonoscopy. This is true even when polyps are removed during the preventive screening. However, once a diagnosis of colorectal cancer or additional risk factors for colorectal cancer are identified, future colonoscopies will no

longer be considered preventive screening; they will be considered monitoring or surveillance of a diagnosed condition and typically will be provided more frequently than the routine screening frequency, which is 10 years for a colonoscopy.

Services associated with a screening colonoscopy or sterilization procedure

Ancillary services directly related to a screening colonoscopy or female sterilization procedures are considered part of the preventive service. This includes the pre-procedure evaluation office visit with the physician performing the procedure, the ambulatory facility fee, anesthesiology, and pathology. The claims for these services must be submitted using the preventive diagnosis and procedure codes in order to be covered for your patient as preventive services.

Payment of preventive services

Proper payment of preventive services by Cigna is dependent on claim submission including diagnosis and procedure codes which identify the services as preventive. The coding guidance on the following pages will assist you and your billing staff.

The following pages reflect the PPACA designated clinical recommendations and the associated ICD-9, ICD-10, CPT and HCPCS codes. Age and frequency limits of these recommendations are not utilized for reimbursement, with the exception of vision and hearing screening, administration of HPV vaccines, and services related to prevention of falls. All standard correct coding practices should be observed.

Additional information about preventive care guidelines is available in the health care professionals section of Cigna’s Informed on Reform website:

InformedonReform.com.

This information does not supersede the specific terms of an individual’s health coverage plan, or replace the clinical judgment of the treating physician with respect to appropriate and necessary care for a particular patient.

References:

Health Care Procedure Coding System, National Level II Medicare Codes, Copyright © 2015, Practice Management Information Corporation (PMIC)

International Classification of Diseases, 9th Revision, Copyright © 2014, Practice Management Information Corporation

International Classification of Diseases, 10th Revision, Copyright © 2015, Practice Management Information Corporation

Current Procedural Terminology (CPT®) 2015, American Medical Association

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
<p>Comprehensive preventive evaluation and management (E&M) services (preventive office visits for well-baby, well-child and well-adult, including well-woman)</p> <p>The frequency of visits for infants, children and adolescents complies with the American Academy of Pediatrics (AAP) Bright Futures periodicity schedule, which can be located on the Department of Health and Human Services website, accessible via InformedOnReform.com.</p> <p>Comprehensive preventive medicine evaluation and management of an individual includes:</p> <ul style="list-style-type: none"> › An age- and gender-appropriate history › Physical examination › Counseling/anticipatory guidance › Risk factor reduction interventions › The ordering of appropriate immunization(s) and laboratory/screening procedures <p>See the following pages for the specific preventive laboratory screenings. Lab screenings not listed in this reference guide will not be covered at the preventive benefit level of reimbursement.</p> <p>These preventive evaluation and management (E&M) services are represented by distinct CPT codes from those that represent problem-oriented E&M services.</p> <ul style="list-style-type: none"> › Preventive initial E&M (new patient) (CPT codes 99381–99387) › Preventive periodic E&M (established patient) (CPT codes 99391–99397) <p><i>Note that codes 99381–99397 include counseling, anticipatory guidance, and risk factor reduction interventions that are provided at the time of the initial or periodic comprehensive preventive medicine examination.</i></p>	<p>ICD-10 codes: Z76.1, Z76.2, Z00.121, Z00.129, Z00.110, Z00.111, Z76.81</p> <p>Z00.00, Z00.01, Z00.8, Z01.411, Z01.419, Z13.4, Z13.6, Z01.30, Z01.33, Z00.3</p> <p>ICD-9 codes: V20.0, V20.1, V20.2, V20.3, V20.31, V20.32, V65.11, V70.0, V70.8, V70.9, V72.3, V72.31, V79.0, V79.1, V79.3, V79.8, V79.9, V81.1</p>	<p>99381–99387 (new patient)</p> <p>99391–99397 (established patient)</p> <p>99461 (initial newborn care)</p> <p>S0610 } S0612 } annual GYN exam S0613 }</p> <p>99420 (administration of HRA)</p> <p>G0402, G0438, G0439 (Medicare only)</p>

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
<p>Comprehensive preventive E&M services <i>(continued)</i></p> <p>Typically, the examination component of the preventive E&M service includes, but is not limited to:</p> <ul style="list-style-type: none"> › Age- and gender-appropriate review of physical condition, including vital signs such as blood pressure, height/weight/body mass index (BMI) calculation (utilized to screen for obesity) › Review of family and personal health risks › Screening (not examination) of vision and hearing status › Screening for growth and development milestones and developmental surveillance › Autism screening › Psychosocial/behavioral assessment › Screening for depression in adolescents and adults › Screening for alcohol and substance misuse/abuse › Screening for tobacco use <p>Typically, the counseling/anticipatory guidance/risk factor reduction component of the preventive E&M service includes, but is not limited to:</p> <ul style="list-style-type: none"> › Oral health (including water fluoridation discussion and referral to dental home) › Counseling regarding obesity, weight loss, healthy diet and exercise › Breast-feeding counseling and support › Discussion/referral for genetic counseling and evaluation for BRCA testing (see page 7 for additional description of services related to genetic counseling/testing) › Discussion of chemoprevention with women at high risk for breast cancer; offer to prescribe risk-reducing medications⁸ › Counseling related to sexual behavior/STD/STI prevention › Aspirin prophylaxis for cardiovascular risk › Guidance and counseling regarding substance abuse, alcohol misuse, tobacco use, obesity, exercise and healthy diet/nutritional counseling as indicated › Screening procedure recommendations (such as breast cancer, colorectal cancer, osteoporosis) › Review of laboratory test results available at the time of the encounter <p>(Continued to next page)</p>		<p>If counseling services are required beyond what is described as included in the preventive medicine E&M visit codes, see specific counseling codes in the following section, as well as the following codes:</p> <p>96110 (developmental testing, limited, such as developmental screening test II)</p> <p>96127 Brief emotional/behavioral assessment (eg, depression inventory, attention-deficit/hyperactivity disorder [ADHD] scale), with scoring and documentation, per standardized instrument</p> <p>S0302 (early periodic screening, diagnosis and treatment [EPSDT])</p> <p>97802–04, S9470 (medical nutrition therapy services) up to three visits for a preventive indication</p> <p>G0296, G0442, G0443, G0444, G0445, G0446, G0447, G0451, G0473</p>

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
<p>Comprehensive preventive E&M services <i>(continued)</i></p> <ul style="list-style-type: none"> › Counseling regarding minimizing exposure to ultraviolet radiation in persons 10–24 years of age › Screening and counseling for domestic and interpersonal violence › Counseling and education regarding FDA-approved contraception methods for women with reproductive capacity (includes follow-up and management of side effects, counseling for continued adherence) › Identification of persons age 65 and older at risk for falls (see page 10 for additional services related to prevention of falls) › Education/brief counseling to prevent initiation of tobacco use (school-age children and adolescents) › Critical congenital heart disease screening with pulse oximetry (newborns) › Counseling/discussion regarding screening for lung cancer 		
<p>Preventive medicine, individual counseling</p> <p>CPT codes 99401–99404 are designated to report services provided to individuals at a face-to-face encounter for the purpose of promoting health and preventing illness or injury.</p> <p>Preventive medicine counseling and risk factor reduction interventions will vary with age and should address such issues as:</p> <ul style="list-style-type: none"> › Diet and exercise (such as related to obesity, hyperlipidemia) › Substance misuse/abuse › Tobacco use and cessation; prevention of initiation of tobacco use › Sexual practices and STD/STI prevention › Screening procedures and laboratory test results available at the time of the encounter › Breast-feeding counseling and support (see page 11 for breast-feeding equipment and supplies) › Domestic and interpersonal violence › FDA-approved contraception methods for women with reproductive capacity <p>Risk factor reduction services are used for persons without a specific illness for which the counseling might otherwise be used as part of treatment.</p> <p>These codes are not to be used to report counseling and risk factor reduction interventions provided to patients with symptoms or established illness.</p> <p>For counseling individual patients with symptoms or established illness, use the appropriate office, hospital, consultation, or other evaluation and management codes.</p>	<p>ICD-10 codes: Z71.3, Z71.7, Z71.41</p> <p>ICD-9 codes: V65.3, V65.42, V65.44, V65.45</p>	<p>99401–99404</p> <p>If behavior change interventions are required beyond what is described in the preventive medicine counseling code descriptions here, see specific codes in the following section which represent smoking and tobacco cessation counseling, alcohol or substance abuse screening and counseling</p> <p>G0443, G0445, G0446, G0447, G0473, S9443</p>

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
<p>Behavior change interventions</p> <p>CPT codes 99406–99412 are designated to report services provided to individuals at a face-to-face encounter and are utilized for persons who have a behavior that is often considered an illness itself, such as tobacco use and addiction, substance abuse/misuse, or obesity. Behavior change services may be reported when performed as part of the treatment of conditions related to or potentially exacerbated by the behavior or when performed to change the harmful behavior that has not yet resulted in illness. Behavior change services involve specific validated interventions of assessing readiness for change and barriers to change, advising a change in behavior, assisting by providing specific suggested actions and motivational counseling, and arranging for services and follow-up.</p>	<p>ICD-10 codes: Z00.00, Z00.01, Z71.3, Z71.41</p> <p>ICD-9 codes: V65.42, V70.0, V79.1, V65.3</p>	<p>99406–99412</p> <p>G0396, G0397, G0446, G0447, G0473</p>
<p>Routine immunizations and administration of vaccines</p> <p>Please note that immunizations that are administered solely for the purpose of travel or occupation are typically excluded from coverage in most Cigna plans.</p> <p>There are three immunization schedules on the Centers for Disease Control and Prevention (CDC) website. These represent the routine immunization services that are currently designated as preventive care by the PPACA regulations. The schedules are:</p> <ul style="list-style-type: none"> › Childhood: ages birth through 18 years › Childhood: catch-up schedule › Adult schedule <p>Refer to the CDC website to view the schedules: cdc.gov/vaccines/schedules/index.html</p> <p>Diphtheria, tetanus toxoids and acellular pertussis (DTaP) (Tdap) (Td)</p> <p>Haemophilus influenzae type b conjugate (Hib)</p> <p>Hepatitis A (HepA)</p> <p>Hepatitis B (HepB)</p> <p>Human papillomavirus (HPV) (age and gender criteria apply)</p> <p>Influenza vaccine</p> <p>Measles, mumps and rubella (MMR)</p> <p>Meningococcal (MCV)</p> <p>Pneumococcal (pneumonia)</p> <p>Poliovirus (IPV)</p> <p>Rotavirus</p> <p>Varicella (chickenpox)</p> <p>Zoster</p>	<p>ICD-10 codes: Z00.121, Z00.129, Z00.00, Z00.01, Z23</p> <p>ICD-9 codes: V20.2, V70.0, V03.5, V03.6, V03.7, V03.81, V03.82, V03.89, V04.0, V04.2, V04.3, V04.6, V04.8, V04.81, V04.89, V05.3, V05.4, V06.1, V06.2, V06.3, V06.4, V06.5, V06.6, V06.8, V06.9</p>	<p>Administration codes:</p> <p>90460, 90461, 90471, 90472, 90473, 90474</p> <p>G0008, G0009, G0010, J3530</p> <p>Vaccine codes:</p> <p>90620, 90621, 90630, 90632, 90633, 90634, 90636, 90644, 90647, 90648, 90649, 90650, 90651, 90654, 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90670, 90672, 90673, 90680, 90681, 90685, 90686, 90687, 90688, 90696, 90698, 90700, 90702, 90707, 90710, 90713, 90714, 90715, 90716, 90723, 90732, 90733, 90734, 90736, 90740, 90743, 90744, 90746, 90747, 90748</p> <p>Q2034, Q2035, Q2036, Q2037, Q2038, Q2039</p>

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
Screenings Additional laboratory or procedural services, if ordered, will be subject to standard medical plan provisions of deductible, coinsurance or copay by the patient. Venipuncture associated with preventive laboratory screenings will be paid as a preventive service.		36415, 36416
Abdominal aortic aneurysm screening by ultrasonography: men, age 65–75 who have ever smoked	ICD-10 codes: Z00.00, Z00.01, Z00.8 ICD-9 codes: V70.0, V70.8	76700, 76705, 76770, 76775, G0389
Anemia screening, iron deficiency: pregnant women	Covered as preventive only when submitted with a maternity diagnosis code	85013, 85014, 85018, 85025, 85027, 85041, G0306, G0307
Bacteriuria screening with urine culture: pregnant women at 12–16 weeks gestation or at the first prenatal visit, if later	Covered as preventive only when submitted with a maternity diagnosis code	87086, 87088
Breast cancer screening: women age 40 and older: screening mammography with or without clinical breast exam, every one to two years	ICD-10 codes: Z12.31, Z12.39, Z80.3, Z85.3 ICD-9 codes: V76.10, V76.11, V76.12, V76.19, V10.3, V16.3	77055, 77056, 77057, 77051, 77052, G0202, G0204, G0206
Breast cancer/ovarian cancer risk assessment: discuss referral for genetic counseling ¹ : women at risk BRCA1/BRCA2 genetic testing for susceptibility to breast or ovarian cancer, if indicated ¹ : women	ICD-10 codes: Z85.3, Z85.43, Z80.3, Z31.5, Z80.41 ICD-9 codes: V10.3, V10.43, V16.3, V16.41, V26.33	96040, S0265 81162 ¹ , 81211 ¹ , 81212 ¹ , 81213 ¹ , 81214 ¹ , 81215 ¹ , 81216 ¹ , 81217 ¹
Cervical cancer screening: <ul style="list-style-type: none"> › Pap smear, women age 21–65 every three years › HPV DNA test in combination with Pap smear, women age 30–65, every five years 	ICD-10 codes: Z01.42, Z11.51, Z12.4 ICD-9 codes: V76.2, V72.32, V73.81	87624, 87625, 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88164, 88165, 88166, 88167, 88174, 88175, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, G0476, P3000, P3001, Q0091
Chlamydial infection screening: all sexually active women age 24 and younger, and older women at increased risk	ICD-10 code: Z11.8; or a maternity diagnosis code ICD-9 codes: V73.88, V73.98; or a maternity diagnosis code	86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87810
Cholesterol screening (dyslipidemia): children/adolescents ages 9–11 years and 18–21 years; children/adolescents with risk factors ages 2–8 years and 12–16 years	ICD-10 codes: Z13.220 ICD-9 codes: V 77.91	80061, 82465, 83718, 83719, 83721, 84478

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
Screenings (continued) Cholesterol screening (dyslipidemia) in adults: <ul style="list-style-type: none"> › Men age 35 and older: or age 20–35 if risk factors for coronary heart disease are present › Women age 45 and older: or age 20–45 if risk factors for coronary heart disease are present 	ICD-10 code: Z13.220 ICD-9 code: V77.91	80061, 82465, 83718, 83719, 83721, 84478
Colorectal cancer screening: beginning at age 50 by any of the following methods: <ul style="list-style-type: none"> › Fecal occult blood testing (FOBT)/fecal immunochemical test (FIT), annually; or › Sigmoidoscopy every five years; or › Colonoscopy every 10 years; or › Computed tomographic colonography² (virtual colonoscopy) every five years; or › Double contrast barium enema (DCBE) every five years 	ICD-10 codes: Z12.10, Z12.11, Z12.12, Z12.13, Z80.0, Z83.71 ICD-9 codes: V76.41, V76.50, V76.51, V76.52, V16.0, V18.51	82270, 82274, G0328, 45330, 45331, 45338, 45346, G0104, 45378, 45380, 45381, 45384, 45385, 45388, G0105, G0121 74263 ² 74270, 74280, G0106, G0120, G0122 00810, 88305
Congenital hypothyroidism screening: newborns	ICD-10 codes: Z00.121, Z00.129, ICD-9 codes: V77.0, V20.2	84436, 84437, 84443
Critical congenital heart disease screening: newborns before discharge from hospital		Considered part of facility fee
Diabetes screening: adults with sustained blood pressure greater than 135/80 (whether treated or untreated)	ICD-10 code: Z13.1 ICD-9 code: V77.1	82947, 82948, 83036
Fluoride application: infants and children birth to age 6 years (in primary care setting)	ICD-10 codes: Z00.121, Z00.129 ICD-9 code: V20.2	99188
Gestational diabetes: pregnant women at first prenatal visit for those at risk; all pregnant women at 24 to 28 weeks gestation	Covered as preventive only when submitted with a maternity diagnosis code	82950, 82951, 82952
Gonorrhea screening: all sexually active women age 24 and younger and older women at increased risk	ICD-10 code: Z11.3; or a maternity diagnosis code ICD-9 code: V74.5; or a maternity diagnosis code	87850, 87590, 87591
Gonorrhea: prophylactic ocular medication for all newborns to prevent blindness (typically instilled at birth)	ICD-10 codes: Z00.121, Z00.129 ICD-9 code: V20.2	No specific code; typically included on hospital billing, miscellaneous charge

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
Screenings (continued) Hearing screening: infants, children through age 10 (not a full hearing examination)	ICD-10 codes: Z00.121, Z00.129 ICD-9 code: V20.2	May be a component of the preventive E&M visit service or 92551, 92552, 92553, 92558, 92568, 92583, 92585, 92586, 92587, 92588, V5008
Hemoglobin or hematocrit: infants, children (see anemia screening for pregnant women, page 7)	ICD-10 codes: Z00.121, Z00.129 ICD-9 code: V20.2	85013, 85014, 85018, 85025, 85027, 85041, G0306, G0307
Hemoglobinopathy screening for sickle cell disease: newborns	ICD-10 codes: Z00.121, Z00.129 ICD-9 codes: V78.2, V20.2	85660
Hepatitis B screening: pregnant women, first prenatal visit; adolescents and adults at high risk for infection	ICD-10 codes: Z00.00, Z11.59; or a maternity diagnosis code ICD-9 codes: V72.62, V73.89; or a maternity diagnosis code	86704, 86705, 86706, 87340, 87341
Hepatitis C screening: adults at high risk for infection; one-time screening for adults born between 1945 and 1965	ICD-10 codes: Z00.00, Z11.59 ICD-9 codes: V72.62, V73.89	86803, 87522, G0472
HIV screening: pregnant women, adolescents and adults 15 to 65 years; younger adolescents or older adults with risk factors; annually for sexually active women	ICD-10 codes: Z11.4; or a maternity diagnosis code ICD-9 codes: V73.89; or a maternity diagnosis code	86701, 86703, 87389, 87390, G0432, G0433, G0435, G0475, S3645
Lead screening for children at risk for lead exposure (periodicity schedule/Bright Futures)	ICD-10 codes: Z00.121, Z00.129 ICD-9 code: V20.2	83655
Lung cancer screening; annually for adults ages 55 to 80 with 30 pack-year smoking history, and currently smoke, or have quit within the past 15 years ³	ICD-10 codes: Z12.2, Z87.891 ICD-9 codes: V15.82, V76.0	71250 ³ , G0297 ³ , S8032 ³
Newborn metabolic screening panel (specific combination of tests will vary according to state law): there are not designated codes for all heritable diseases which are identified for screening in this recommendation	ICD-10 codes: Z00.121, Z00.129 ICD-9 codes: V20.2, V78.3	S3620
Nutrition and physical activity counseling: adults who are overweight or obese and have risk factors for cardiovascular disease Nutrition counseling and behavioral interventions: obese adults and children age six years and older	ICD-10 code: Z71.3 ICD-9 codes: V65.3, V77.8	97802, 97803, 97804, S9470: G0446, G0447, G0473 May also be performed as component of preventive E&M visit or in context of preventive counseling visit (99401–99404)

PREVENTIVE COVERAGE	ICD-10 CODES (EFFECTIVE 10/01/2015) ICD-9 CODES (DISCONTINUED 10/01/2015) <i>(represent services that are NOT for treatment of illness or injury and should be submitted as the primary diagnosis for preventive services)</i>	CPT CODES/ HCPCS CODES <i>(represent the services listed)</i>
Screenings (continued) Osteoporosis screening: women age 65 or older (or younger women with fracture risk as determined by Fracture Risk Assessment Score) ⁴	ICD-10 codes: Z13.820, Z82.62 ICD-9 codes: V82.81, V17.81	76977, 77078, ⁴ 77080, 77081, G0130
Phenylketonuria (PKU) screening: newborns	ICD-10 codes: Z00.121, Z00.129 ICD-9 codes: V20.2, V77.3	84030
Prevention of falls: physical therapy for community dwelling adults age 65 and older who are at risk for falls	ICD-10 codes: M62.81, R54, W19.XXXS, Z51.89, Z72.3, Z72.9, Z91.81 ICD-9 codes: V15.88, V57.1, V69.0, V69.9, 728.87	97001, 97002, 97110, 97112, 97113, 97116, 97150, 97530, G0159, S8990, S9131
Prostate cancer screening: PSA, men age 50 and older or age 40 with risk factors	ICD-10 codes: Z12.5, Z80.42 ICD-9 codes: V76.44, V16.42	84152, 84153, 84154, G0103
Rh incompatibility screening: Rh (D) blood typing and antibody testing for all pregnant women at first visit, and repeat for unsensitized Rh negative women at 24–28 weeks	Covered as preventive only when submitted with a maternity diagnosis code	86900, 86901
Syphilis screening: all pregnant women and persons at increased risk of syphilis infection	ICD-10 codes: Z11.3; or a maternity diagnosis code ICD-9 codes: V74.5; or a maternity diagnosis code	86592, 86593
Tobacco use: counseling and interventions for tobacco cessation in adults who smoke ⁸	Any diagnosis code	99406, 99407, G0436, G0437
Tuberculin testing: children and adolescents at high risk	ICD-10 codes: Z00.121, Z00.129, Z11.1 ICD-9 codes: V20.2, V74.1	86580
Visual impairment screening: age 3 through 18 (USPSTF and periodicity schedule/Bright Futures)	ICD-10 codes: Z00.121, Z00.129 ICD-9 code: V20.2	Preventive E&M visit component or 99173

BREAST-FEEDING EQUIPMENT AND SUPPLIES	EXAMPLES	HCPCS CODES
Provision of breast pumps and supplies for postpartum women to ensure successful breast-feeding. Requires a prescription and must be ordered through CareCentrix, Cigna's national durable medical equipment vendor ⁵	Breast pump, manual (purchase only)	E0602
To obtain the breast pump and initial supplies, your patient may contact CareCentrix at 877.466.0164 (Option 3) To obtain replacement supplies, your patient may contact Edgepark Medical Supplies at 800.321.0591	Breast pump, electric (rental)	E0603
	Breast pump, hospital grade	E0604 ⁶
	Supplies	A4281, A4282, A4283 A4284, A4285, A4286

CONTRACEPTIVE SERVICES FOR WOMEN

The following contraceptive methods are covered for women with reproductive capacity.^{7,8}

METHOD/TYPE	EXAMPLES	CPT/HCPCS CODES
Services for insertion/removal of intrauterine devices, implants; fitting diaphragm or cervical cap		58300–58301, 11976, 11981–11983, 57170, S4981
IUD devices	Liletta™, Mirena®, ParaGard®, Skyla®	J7297, J7298, J7300, J7301
Injection	Depot medroxyprogesterone acetate	J1050 (Use J1050 when physician administration is required; must be submitted with Z30.40, Z30.42 or Z30.49) 96372 (must be submitted with Z30.40, Z30.42 or Z30.49) ICD-9 codes: V25.40, V25.49
Implants	Implanon®, Nexplanon®	J7307
Surgical sterilization procedures for women		58565, 58600, 58605, 58611, 58615, 58670, 58671, 00851, A4264, 88302 (must be submitted with Z30.2 or Z30.42) 58340, 74740 (follow-up confirmation procedure related to CPT 58565; must be submitted with Z30.2 or Z30.42) ICD-9 codes: V25.2, V25.49

1. CPT codes 81162, 81211–81217 may require precertification or be subject to other reasonable medical management programs depending upon benefit plan design. Please refer to the Cigna medical coverage policy for additional information on genetic counseling and testing criteria (Cigna.com > Health Care Professionals > Resources > Clinical Payment and Reimbursement Policies > Coverage Policies > Genetic Testing for Hereditary Cancer Susceptibility Syndromes)

2. CPT code 74263 (computed tomographic colonography) may require precertification or be subject to other reasonable medical management programs depending upon benefit plan design.

3. CPT codes 71250, G0297, S8032 may require precertification or be subject to other reasonable medical management programs depending upon benefit plan design.

4. CPT code 77078 (computed tomography, bone density study) may require precertification or be subject to other reasonable medical management programs depending upon benefit plan design.

5. This benefit is one of the recommendations issued by the Department of Health and Human Services (HHS) for preventive care services for women. Plans exercising their rights under the grandfather provision or for an exemption do not cover these services except for medical necessity. Consult Cigna resources for your patient's plan coverage.
6. HCPCS code E0604 may require precertification or be subject to other reasonable medical management programs depending upon benefit plan design.
7. This benefit is one of the recommendations issued by the Department of Health and Human Services (HHS) for preventive care services for women. Plans exercising their rights under the grandfather provision or for an exemption do not cover these services under preventive care, but may or may not cover under normal medical benefits. Other plans meeting the criteria to exercise their right to a religious exemption do not cover these services; Cigna as insurance carrier covers it under a special plan as mandated by PPACA. Consult Cigna resources for your patient's plan coverage.
8. Please refer to Cigna's "No Cost Preventive Medications by Drug Category" guide for information on drugs and products with no out-of-pocket cost to individuals, including Food and Drug Administration (FDA) approved female contraceptives; available at Cigna.com>About Cigna>Informed on Reform>Preventive Services.



"Cigna" and the "Tree of Life" logo are registered service marks, and "Together, all the way." is a service mark, of Cigna Intellectual Property, Inc., licensed for use by Cigna Corporation and its operating subsidiaries. All products and services are provided by or through such operating subsidiaries, and not by Cigna Corporation. Such operating subsidiaries include Connecticut General Life Insurance Company (CGLIC), Cigna Health and Life Insurance Company (CHLIC), Cigna Behavioral Health, Inc., and HMO or service company subsidiaries of Cigna Health Corporation and Cigna Dental Health, Inc. In Arizona, HMO plans are offered by Cigna HealthCare of Arizona, Inc. In California, HMO and Network plans are offered by Cigna HealthCare of California, Inc. In Connecticut, HMO plans are offered by Cigna HealthCare of Connecticut, Inc. In North Carolina, HMO plans are offered by Cigna HealthCare of North Carolina, Inc. All other medical plans in these states are insured or administered by CGLIC or CHLIC. All models are used for illustrative purposes only.