

Prior Authorization Criteria

2019 MAPD Arizona - H0354 - Cigna-HealthSpring Preferred (HMO), Cigna-HealthSpring Achieve Plus (HMO SNP), Cigna-HealthSpring Preferred Plus (HMO), Cigna-HealthSpring Alliance (HMO)

Last Updated: 12/2018

ABRAXANE

Products Affected

- Abraxane

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

ACTEMRA

Products Affected

- Actemra

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and past medication history.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Use of Actemra is considered medically necessary for the treatment of rheumatoid arthritis (RA) and polyarticular juvenile idiopathic arthritis (PJIA) when BOTH of the following criteria are met: 1) inadequate response, intolerance, or contraindication to at least one disease-modifying anti-rheumatic drug (DMARD) (i.e., Methotrexate (MTX) Azathioprine, Hydroxychloroquine, Penicillamine, Sulfasalazine and 2) failure, contraindication or intolerance to Enbrel or Humira. Use of Actemra will also be considered medically necessary for the treatment of systemic juvenile idiopathic arthritis (SJIA), giant cell arteritis (GCA) and chimeric antigen receptor (CAR) T cell-induced cytokine release syndrome (CRS). B vs D coverage determination required for Actemra IV.

ACTHAR HP

Products Affected

- H.p. Acthar

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the treatment of multiple sclerosis, the patient must have failure, contraindication, or intolerance to intravenous corticosteroid therapy and currently be maintained on an FDA-labeled multiple sclerosis medication.

ACTIMMUNE

Products Affected

- Actimmune

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ADEMPAS

Products Affected

- Adempas

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ALIMTA

Products Affected

- Alimta

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

ALOSETRON

Products Affected

- Alosetron Hydrochloride

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Alosetron will not be approved for use in men, as safety and efficacy in men has not been established.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Alosetron is considered medically necessary for the treatment of severe IBS-D. At least one of the of the following must be present for diarrhea to be considered severe: frequent and severe abdominal pain or discomfort, frequent bowel urgency or fecal incontinence, and disability or restriction of daily activities due to IBS.

AMPYRA

Products Affected

- Ampyra

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Ampyra is considered medically necessary for patients with multiple sclerosis with medical documentation of impaired walking ability.

ANABOLIC STEROIDS, ANDROGENS

Products Affected

- Anadrol-50
- Oxandrolone TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ANTIFUNGALS, AZOLE

Products Affected

- Voriconazole SUSR

- Voriconazole TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documented fungal culture and or notes from medical record suggestive of a serious fungal infection. For prophylactic use, fungal culture and medical records are not required.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	3 to 6 months, depending on indication
Other Criteria	N/A

ANTIFUNGALS, POLYENE

Products Affected

- Abelcet
- Ambisome
- Amphotericin B INJ

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	B vs D coverage determination

ANTIFUNGALS, SUPERFICIAL AND SYSTEMIC

Products Affected

- Itraconazole CAPS
- Itraconazole SOLN
- SporanoX SOLN

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Onychomycosis (fingernails only) - 2mo. Onychomycosis (toenails) - 3mo. All other indications - 12mo
Other Criteria	For the treatment of tinea versicolor or pityriasis, use of oral ketoconazole or a topical antifungal agent is required prior to the use of Itraconazole or SporanoX oral solution. For candidiasis infections (unless specified C. glabrata or C. krusei) use of fluconazole is required prior to the use of itraconazole or SporanoX oral solution.

ANTIFUNGALS, TRIAZOLE

Products Affected

- Noxafil SUSP

- Noxafil TBEC

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	<p>For the prophylaxis of invasive Aspergillus and Candida infections: Noxafil is considered medically necessary in patients who are at high risk of developing these infections due to being severely immunocompromised, such as hematopoietic stem cell transplant (HSCT) recipients with graft-versus-host disease (GVHD) or those with hematologic malignancies with prolonged neutropenia from chemotherapy.</p> <p>For the treatment of oropharyngeal candidiasis, the candidiasis must be refractory to itraconazole or fluconazole.</p>

ANTINEOPLASTICS, MONOCLONAL ANTIBODIES

Products Affected

- Aliqopa
- Avastin
- Besponsa
- Erbitux
- Herceptin INJ 440MG
- Imfinzi
- Lartruvo
- Libtayo
- Mylotarg
- Poteligeo
- Tecentriq
- Vectibix INJ 100MG/5ML, 400MG/20ML
- Yervoy

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

APOKYN

Products Affected

- Apokyn INJ 30MG/3ML

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ARCALYST

Products Affected

- Arcalyst

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	12 years of age and older
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

ARMODAFINIL

Products Affected

- Armodafinil

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and sleep study for the diagnosis of sleep apnea or narcolepsy.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the treatment of narcolepsy, the patient must have failure, contraindication, or intolerance to methylphenidate or dextroamphetamine sulfate before armodafinil is authorized.

BENLYSTA

Products Affected

- Benlysta INJ 120MG, 400MG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The patient must have a positive autoantibody test (i.e., anti-nuclear antibody [ANA] greater than or equal to 1:80 and/or anti-double-stranded DNA [anti-dsDNA] greater than or equal to 30 IU/ml).
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must be receiving one standard therapy for SLE with any of the following: corticosteroids, hydroxychloroquine, or immunosuppressives (cyclophosphamide, azathioprine, mycophenolate, methotrexate, cyclosporine) AND there must be an absence of severe active lupus nephritis or severe active central nervous system lupus before Benlysta is authorized. B vs D coverage determination.

BERINERT

Products Affected

- Berinert

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Patient must have a confirmed diagnosis of HAE.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have a history of a moderate or severe attack (e.g., airway swelling, severe abdominal pain, facial swelling, nausea and vomiting, painful facial distortion).

BOTOX

Products Affected

- Botox

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Exclude when used for cosmetic purposes.
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	3 months
Other Criteria	N/A

BUPRENORPHINE

Products Affected

- Buprenorphine Hcl SUBL

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of opioid dependence.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Induction therapy: 1 month Pregnancy/Hypersensitivity to naloxone: 12 months
Other Criteria	The use of buprenorphine for maintenance therapy should be limited to patients who have experienced a hypersensitivity reaction to naloxone or require buprenorphine during pregnancy.

BUPRENORPHINE-NALOXONE PRODUCTS

Products Affected

- Suboxone FILM
- Zubsolv

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of opioid dependence.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

CARBAGLU

Products Affected

- Carbaglu

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

CINRYZE

Products Affected

- Cinryze

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Patient must have a confirmed diagnosis of HAE.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have a history of more than one severe event per month and have failure, contraindication or intolerance to one conventional therapy for HAE prophylaxis such as danazol or tranexamic acid. B vs D coverage determination.

COLONY STIMULATING FACTORS

Products Affected

- Leukine INJ 250MCG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	N/A

CORLANOR

Products Affected

- Corlanor

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	1.) Blood pressure less than 90/50 mmHg. 2.) Sick sinus syndrome, sinoatrial block, or 3rd degree AV block, unless a functioning demand pacemaker is present. 3.) Resting heart rate less than 60 bpm prior to treatment. 4.) Pacemaker dependence (heart rate maintained exclusively by the pacemaker).
Required Medical Information	Documentation of diagnosis, previous use of a beta-blocker, LVEF, sinus rhythm, resting HR, and blood pressure
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have a diagnosis of chronic heart failure with left ventricular ejection fraction less than or equal to 35%, normal sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, and either be on maximally tolerated doses of beta-blockers or have a contraindication to beta-blocker use.

DERMATOLOGICAL RETINOIDS

Products Affected

- Tretinoin CREA
- Tretinoin GEL
- Tretinoin Microsphere
- Tretinoin Microsphere Pump

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

DERMATOLOGICAL WOUND CARE AGENTS

Products Affected

- Regranex

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of wound type
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	5 months
Other Criteria	N/A

DIFICID

Products Affected

- Dificid

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	18 years of age and older.
Prescriber Restrictions	N/A
Coverage Duration	1 month
Other Criteria	N/A

DIHYDROERGOTAMINE MESYLATE

Products Affected

- Dihydroergotamine Mesylate NASAL SOLN

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

DUAVEE

Products Affected

- Duavee

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and past medication history.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	<p>For the prevention of postmenopausal osteoporosis, trial, failure, or intolerance of raloxifene is required prior to the use of Duavee.</p> <p>For the treatment of moderate to severe vasomotor symptoms associated with menopause, use of one of the following is required prior to Duavee being authorized: a SSRI, venlafaxine or gabapentin.</p>

DYSPORT

Products Affected

- Dysport

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Exclude when used for cosmetic purposes.
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	3 months
Other Criteria	N/A

EGRIFTA

Products Affected

- Egrifta

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Males must have a waist circumference of at least 95cm (37.5in) and a waist-to-hip ratio of at least 0.94. Females must have a waist circumference of at least 94cm (37in) and a waist-to-hip ratio of at least 0.88. Patients must have a baseline CT documenting increased visceral adipose tissue (VAT). Reauthorization is contingent upon ONE of the following: 1.) decrease in VAT measured by CT scan or 2.) reduction of waist circumference and waist-to-hip ratio from baseline measurement.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Patient must be on a stable antiretroviral regimen for at least 8 weeks.

ENTRESTO

Products Affected

- Entresto

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have a diagnosis of chronic heart failure (NYHA Class II – IV), have left ventricular ejection fraction less than or equal to 40%, and have no concomitant therapy with an ACE inhibitor, ARB, or direct renin inhibitor when starting on Entresto.

EPCLUSA

Products Affected

- Epclusa

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis including genotype, current medication regimen, HCV-RNA levels, history of previous HCV therapies and presence/absence of cirrhosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 weeks, based on indication and established treatment guidelines
Other Criteria	For genotype 1, 4, 5 and 6, clinical information must be provided confirming the patient is not a candidate for Harvoni before Epclusa will be authorized.

EPIDIOLEX

Products Affected

- Epidiolex

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of Lennox-Gastaut syndrome or Dravet syndrome
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

ESBRIET

Products Affected

- Esbriet

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Other known causes of interstitial lung disease e.g., domestic and occupational environmental exposures, connective tissue disease, and drug toxicity.
Required Medical Information	Diagnosis confirmed by 1.) in patients without surgical lung biopsy: Usual interstitial pneumonia (UIP) pattern on high resolution computed tomography (HRCT) is indicative of IPF or 2.) in patients with surgical lung biopsy: The biopsy pattern is diagnostic of IPF or the combination of HRCT and biopsy pattern is indicative of IPF.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Esbriet will be used as monotherapy.

FIRAZYR

Products Affected

- Firazyr

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Patient must have a confirmed diagnosis of HAE.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Firazyr is considered medically necessary for the treatment of acute attacks of hereditary angioedema (HAE) in patients who have tried and failed Ruconest.

GATTEX

Products Affected

- Gattex

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	As long as the patient requires parenteral nutrition and/or IV fluids, 3 months up to 12 months.
Other Criteria	N/A

HARVONI

Products Affected

- Harvoni

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis including genotype, HCV RNA viral levels prior to treatment, history of previous HCV therapies, and presence/absence of cirrhosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 to 24 weeks based on indication and established treatment guidelines
Other Criteria	N/A

HEMATOPOIETICS

Products Affected

- Aranesp Albumin Free INJ
100MCG/0.5ML, 100MCG/ML,
10MCG/0.4ML, 150MCG/0.3ML,
200MCG/0.4ML, 200MCG/ML,
25MCG/0.42ML, 25MCG/ML,
300MCG/0.6ML, 300MCG/ML,
40MCG/0.4ML, 40MCG/ML,
500MCG/ML, 60MCG/0.3ML,
60MCG/ML
- Procrit
- Retacrit

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	For initial treatment of anemia, documentation of Hemoglobin less than 10, transferrin saturation greater than 20%, and ferritin levels greater than 100 obtained over the last 3 months. For reauthorizations, approvals granted if Hemoglobin does not exceed 12g/dL or approvals granted if Hemoglobin does not exceed 13g/dL for the indication of reduction of allogeneic red cell transfusions in patients undergoing elective, noncardiac, nonvascular surgery.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	B vs D coverage determination

HETLIOZ

Products Affected

- HetlioZ

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation that patient is totally blind and lacks light perception
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HORMONAL AGENTS, SOMATOSTATIN ANALOGS

Products Affected

- Octreotide Acetate
- Sandostatin Lar Depot
- Somatuline Depot

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	N/A

HRM - BENZTROPINE

Products Affected

- Bzotropine Mesylate TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects, AND the physician has documented that the patient has tried and failed two (2) safer formulary alternatives if two are available or provided clinical rationale why two safer formulary alternatives are not appropriate for the patient. If only one (1) safer formulary alternative is available, then only that particular medication would need to be documented as tried and failed or clinical rationale provided as to why that one safer formulary alternative is not appropriate for the patient.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Safer alternatives depend on indication. For Parkinsonism, safer alternatives are: Carbidopa/Levodopa, Pramipexole, Ropinirole, Bromocriptine, Amantadine, and Selegiline. For extrapyramidal symptoms, a safer alternative is: Amantadine.

HRM - BUTALBITAL COMBINATIONS

Products Affected

- Butalbital/acetaminophen TABS 325MG; 50MG
- Butalbital/acetaminophen/caffeine CAPS
- Butalbital/acetaminophen/caffeine TABS 325MG; 50MG; 40MG
- Butalbital/aspirin/caffeine CAPS
- Capacet
- Esgic CAPS
- Marten-tab
- Zebutal CAPS 325MG; 50MG; 40MG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects, AND the physician has documented that the patient has tried and failed two (2) safer formulary alternatives or provided clinical rationale why two safer formulary alternatives are not appropriate for the patient.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Safer alternatives are: naproxen sodium and ibuprofen.

HRM - DIGOXIN

Products Affected

- Digitek TABS 0.25MG
- Digox TABS 250MCG
- Digoxin INJ 0.25MG/ML
- Digoxin SOLN
- Digoxin TABS 250MCG
- Lanoxin TABS 187.5MCG
- Lanoxin Pediatric

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects, AND the physician has documented that the patient has tried and failed digoxin 0.125mg daily or provided clinical rationale as to why the lower dose is not appropriate for the patient.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HRM - ESTROGENS

Products Affected

- Alora
- Amabelz
- Angeliq
- Climara Pro
- Combipatch
- Estradiol ORAL TABS 0.5MG, 1MG, 2MG
- Estradiol PTTW
- Estradiol PTWK
- Estradiol/norethindrone Acetate
- Estropipate TABS
- Fyavolv
- Jevantique Lo
- Jinteli
- Lopreeza
- Menostar
- Mimvey
- Mimvey Lo
- Norethindrone Acetate/ethinyl Estradiol TABS 2.5MCG; 0.5MG, 5MCG; 1MG
- Prefest
- Premarin TABS 0.3MG, 0.45MG, 0.625MG, 0.9MG, 1.25MG
- Premphase
- Prempro

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects, AND the physician has documented that the patient has tried and failed two (2) safer formulary alternatives or provided clinical rationale why two safer formulary alternatives are not appropriate for the patient.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months

Other Criteria	Safer alternatives to the estrogen high risk medications depend on the indication. For Hot Flashes, safer alternatives are: SSRIs, venlafaxine, and gabapentin. For Vaginal Symptoms of menopause, safer alternatives are: Premarin Cream, Estring, Yuvafem and vaginal estradiol tablets. For Bone Density, safer alternatives are: bisphosphonates, raloxifene, and Prolia.
-----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

HRM - MEGESTROL

Products Affected

- Megestrol Acetate SUSP

- Megestrol Acetate TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the treatment of cachexia/loss of appetite associated with AIDS (megestrol oral suspension only), the physician has documented that the patient has tried and failed dronabinol or provided clinical rationale as to why that safer formulary alternative is not appropriate for the patient. For all other indications, trial of dronabinol is not required.

HRM - MENEST

Products Affected

- Menest

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects, AND the physician has documented that the patient has tried and failed one (1) safer formulary alternative or provided clinical rationale why two safer formulary alternative is not appropriate for the patient. For palliative therapy of metastatic breast cancer, no trial of a formulary alternative is required.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For vasomotor symptoms of menopause, safer alternatives are: SSRIs, venlafaxine, and gabapentin. For vaginal symptoms of menopause, safer alternatives are: Premarin Cream, Estrin, Yuvafem and vaginal estradiol tablets. For all other indications, no formulary alternative is required.

HRM - PERPHENAZINE/AMITRIPTYLINE

Products Affected

- Perphenazine/amitriptyline

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects, AND the physician has documented that the patient has tried and failed two (2) safer formulary alternatives or provided clinical rationale why two safer formulary alternatives are not appropriate for the patient.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Safer alternatives are: Nortriptyline, Protriptyline, Desipramine, Amoxapine, Citalopram, Venlafaxine, Fluoxetine, Paroxetine, Sertraline, Duloxetine, and Bupropion.

HRM - PROMETHAZINE

Products Affected

- Promethazine Hcl INJ
- Promethazine Hcl SYRP
- Promethazine Hcl TABS 12.5MG, 25MG
- Promethazine Hcl Plain
- Promethazine Hydrochloride INJ
- Promethazine Hydrochloride TABS 50MG
- Promethazine Vc Plain

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects, AND the physician has documented that the patient has tried and failed one (1) safer formulary alternative if available or provided clinical rationale why the safer formulary alternative is not appropriate for the patient.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For postoperative nausea and vomiting, the safer alternative is ondansetron. For perennial and seasonal allergic rhinitis, safer alternatives are: levocetirizine and desloratadine. For any other indications, trial of a formulary alternative is not required.

HRM - SKELETAL MUSCLE RELAXANTS

Products Affected

- Cyclobenzaprine Hcl TABS 10MG, 5MG
- Orphenadrine Citrate Er

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HRM - TRICYCLIC ANTIDEPRESSANTS

Products Affected

- Amitriptyline Hcl TABS
- Clomipramine Hcl CAPS
- Doxepin Hcl CAPS
- Doxepin Hcl CONC
- Imipramine Hcl TABS 25MG, 50MG
- Imipramine Hydrochloride TABS 10MG
- Trimipramine Maleate CAPS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects AND the physician has documented that the patient has tried and failed two (2) safer formulary alternatives or provided clinical rationale why two safer formulary alternatives are not appropriate for the patient.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Safer alternatives depend on indication. For Depression, safer alternatives are: Nortriptyline, Protriptyline, Desipramine, Amoxapine, Citalopram, Escitalopram, Fluvoxamine, Venlafaxine, Fluoxetine, Paroxetine, Sertraline, Duloxetine, and Bupropion. For headache prophylaxis, safer alternatives are: Propranolol, Topiramate, and Divalproex sodium. For headache treatment, safer alternatives are: Sumatriptan, Naratriptan, Rizatriptan and Dihydroergotamine. For Pain/Neuropathy, safer alternatives are: Duloxetine, Lyrica, and Gabapentin. If using requested medication for a medically-accepted indication not listed above, then no trial of alternatives is required.

HRM - TRIHEXYPHENIDYL

Products Affected

- Trihexyphenidyl Hcl

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	The physician has documented the indication for the continued use of the HRM (high risk med) with an explanation of the specific benefit established with the medication and how that benefit outweighs the potential risk, AND the physician will continue to monitor for side effects.
Age Restrictions	Automatic approval if member is less than 65 years of age. Prior authorization required for age 65 or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

HYDROXYPROGESTERONE

Products Affected

- Hydroxyprogesterone Caproate INJ
1.25GM/5ML

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

IMMUNE STIMULANTS, NON-VACCINE

Products Affected

- Pegasys

- Pegasys Proclick

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of genotype to determine length of therapy
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 to 48 weeks based on indication and established treatment guidelines.
Other Criteria	N/A

IMMUNE SUPPRESSANTS

Products Affected

- Enbrel
- Enbrel Mini
- Enbrel Sureclick
- Humira
- Humira Pediatric Crohns Disease Starter Pack
- Humira Pen
- Humira Pen-cd/uc/hs Starter
- Humira Pen-ps/uv Starter
- Renflexis

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and past medication history.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months

<p>Other Criteria</p>	<p>Use of Humira, Enbrel, or Renflexis is considered medically necessary for the treatment of: 1.) Rheumatoid Arthritis in patients that have tried and failed methotrexate OR at least 2 alternative disease modifying antirheumatic drugs (DMARDs). 2.) Juvenile Rheumatoid Arthritis in patients that have tried and failed at least 2 DMARDs. 3.) Ankylosing Spondylitis in patients that have tried and failed at least 1 non-steroidal anti-inflammatory drug (NSAID), corticosteroid, OR sulfasalazine. 4.) Plaque Psoriasis in patients that have: a.) moderate to severe chronic disease, b.) minimum body surface area (BSA) involvement of greater than or equal to 5% OR involvement of the palms, soles, head, neck or genitalia, AND c.) tried and failed at least 1 topical agent (topical steroid, calcipotriene, or tazarotene) 5.) Psoriatic Arthritis in patients with active disease. In addition, use of Humira or Renflexis is considered medically necessary for the treatment of: 1.) Moderate to severe Crohn's Disease in patients that have tried and failed at least 2 of the following: immunomodulators, corticosteroids, or aminosalicylates. 2.) Treatment of moderately to severely active ulcerative colitis in patients who have had inadequate response to at least 2 of the following: corticosteroids, sulfasalazine, mesalamine, azathioprine, 6-mercaptopurine. Use of Humira will also be considered medically necessary for the treatment of hidradenitis suppurativa and uveitis. Use of Renflexis will also be considered medically necessary for the treatment of fistulizing Crohn's disease. B vs D coverage determination required for Renflexis.</p>
------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

IMMUNE SUPPRESSANTS - TRANSPLANT RELATED

Products Affected

- Astagraf XL
- Atgam
- Azathioprine INJ
- Azathioprine TABS
- Cellcept TABS
- Cyclosporine CAPS
- Cyclosporine INJ
- Cyclosporine Modified
- Envarsus Xr
- Gengraf
- Mycophenolate Mofetil
- Mycophenolic Acid Dr
- Neoral
- Nulojix
- Prograf INJ
- Rapamune SOLN
- Sandimmune CAPS 100MG, 25MG
- Sandimmune INJ
- Sandimmune SOLN
- Sirolimus TABS
- Tacrolimus CAPS
- Zortress

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

IMMUNOMODULATORS

Products Affected

- Avonex
- Avonex Pen
- Copaxone INJ 20MG/ML, 40MG/ML
- Extavia
- Tecfidera
- Tecfidera Starter Pack

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of a relapsing form of multiple sclerosis (MS) (e.g., relapsing-remitting MS, progressive-relapsing MS, or secondary progressive MS with relapses)
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

INSULIN-LIKE GROWTH FACTOR

Products Affected

- Increlex

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis. Documentation of lab data reflecting height standard deviation score, basal IGF-1 score, and growth hormone level.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Height standard deviation score must be less than or equal to -3.0 AND the basal IGF-1 score must be below the lower limits of normal for the reporting lab AND the patient must have a normal or elevated growth hormone level (excluding patients with growth hormone gene deletion) AND epiphyses must be confirmed as open in patients greater than or equal to 10 years of age.

JEVTANA

Products Affected

- Jevtana

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

KALBITOR

Products Affected

- Kalbitor

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Patient must have a confirmed diagnosis of HAE.
Age Restrictions	16 years old and older
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have a history of a moderate or severe attack (e.g., airway swelling, severe abdominal pain, facial swelling, nausea and vomiting, painful facial distortion). B vs D coverage determination

KALYDECO

Products Affected

- Kalydeco

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Patients with cystic fibrosis (CF) who are homozygous for the F508del mutation in the CFTR gene.
Required Medical Information	CF mutation test documenting patient has one mutation in the CFTR gene that is responsive to ivacaftor based on clinical and/or in vitro assay data.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

KETOROLAC TROMETHAMINE

Products Affected

- Ketorolac Tromethamine INJ
15MG/ML, 30MG/ML
- Ketorolac Tromethamine TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	1 month
Other Criteria	N/A

KORLYM

Products Affected

- Korlym

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

KUVAN

Products Affected

- Kuvan

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Initial Approval: 2 months. Reauthorization: 12 months
Other Criteria	For reauthorization: the patient must have responded to a therapeutic trial of Kuvan. Response is defined as a 30% or greater reduction in blood phenylalanine level from baseline.

LIDOCAINE PATCH

Products Affected

- Lidocaine PTCH

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the FDA-labeled indication of post-herpetic neuralgia, no additional criteria are required to be met. For diabetic neuropathic pain: the patient must have previous use and inadequate response or intolerance to any ONE medication that is FDA- labeled for diabetic peripheral neuropathy, including duloxetine and Lyrica. For cancer related neuropathic pain (including treatment-related neuropathy), no additional criteria are required to be met.

MAKENA

Products Affected

- Hydroxyprogesterone Caproate INJ
250MG/ML

- Makena

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Makena is authorized to reduce the risk of preterm birth when ALL of the following are met: 1.) current singleton pregnancy AND 2.) previous singleton spontaneous preterm birth (preterm birth defined as birth from the period of viability through week 36, 6 days gestation) AND 3.) treatment will be initiated between week 16, 0 days and week 20, 6 days of gestation and not continue beyond week 36, 6 days of gestation or time of delivery (whichever occurs first).
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	21 weeks
Other Criteria	B vs D coverage determination

MEMANTINE

Products Affected

- Memantine Hcl
- Memantine Hcl Titration Pak
- Memantine Hydrochloride SOLN
- Memantine Hydrochloride Er

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	Automatic approval if member is greater than 26 years of age. Prior Authorization is required for age 26 or younger.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

METABOLIC BONE DISEASE AGENTS

Products Affected

- Forteo INJ 600MCG/2.4ML

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Diagnosis of osteoporosis based on DEXA (T-score less than or equal to -2.5) or based on presence of documented fragility fracture.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	2 years from initiation of therapy
Other Criteria	Member has tried and or failed a bisphosphonate or SERM OR the member has documented intolerance, contraindication, or hypersensitivity to other osteoporosis therapies. For patients with a T-score less than or equal to -3.5, failure of bisphosphonates or SERMs are not required.

MODAFINIL

Products Affected

- Modafinil

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and sleep study for the diagnosis of sleep apnea or narcolepsy.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the treatment of narcolepsy, the patient must have failure, contraindication, or intolerance to methylphenidate or dextroamphetamine sulfate before modafinil is authorized.

MOLECULAR TARGET INHIBITORS

Products Affected

- Alecensa
- Alunbrig
- Braftovi
- Cabometyx
- Calquence
- Copiktra
- Idhifa
- Imatinib Mesylate
- Imbruvica
- Kisqali
- Kisqali Femara 200 Dose
- Kisqali Femara 400 Dose
- Kisqali Femara 600 Dose
- Lorbrena
- Mektovi
- Nerlynx
- Rubraca
- Rydapt
- Tibsovo
- Verzenio
- Vizimpro
- Zejula

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

MONOCLONAL ANTIBODIES

Products Affected

- Xolair

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	For the diagnosis of asthma: Laboratory data reflecting IgE levels greater than 30 but less than 1500 IU/mL , medical history documenting previous trial and response to inhaled corticosteroids and a leukotriene receptor antagonist. For the diagnosis of chronic idiopathic urticaria (CIU): Documentation that the patient has remained symptomatic despite at least 2 weeks of one H1 antihistamine therapy.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

NATPARA

Products Affected

- Natpara

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

NORTHERA

Products Affected

- Northera

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Northera will be used for patients with neurogenic orthostatic hypotension associated with one of the following diagnoses: 1) Primary autonomic failure due to Parkinson's disease, multiple system atrophy, or pure autonomic failure, OR 2) Dopamine beta hydroxylase deficiency, OR 3) Non-diabetic autonomic neuropathy.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Initial Approval: 3 months. Reauthorization: 12 months
Other Criteria	The patient must have failure, contraindication or intolerance to fludrocortisone acetate or midodrine. Reauthorization Criteria: The member has experienced a positive clinical response with Northera use.

NUEDEXTA

Products Affected

- Nuedexta

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

NUPLAZID

Products Affected

- Nuplazid

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	For the treatment of Parkinson's disease psychosis: The patient has experienced hallucinations or delusions associated with Parkinson's disease psychosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

OFEV

Products Affected

- Ofev

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Other known causes of interstitial lung disease e.g., domestic and occupational environmental exposures, connective tissue disease, and drug toxicity.
Required Medical Information	Diagnosis confirmed by 1.) in patients without surgical lung biopsy: Usual interstitial pneumonia (UIP) pattern on high resolution computed tomography (HRCT) is indicative of IPF or 2.) in patients with surgical lung biopsy: The biopsy pattern is diagnostic of IPF or the combination of HRCT and biopsy pattern is indicative of IPF.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Ofev will be used as monotherapy.

ORENCIA IV

Products Affected

- Orenzia INJ 250MG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	6 years old and older
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Treatment of rheumatoid arthritis (RA) and when ANY of the following criteria are met: 1) history of positive clinical response to abatacept therapy OR 2) inadequate response, intolerance, or contraindication to at least one disease-modifying anti-rheumatic drug (DMARD) (i.e., methotrexate (MTX) azathioprine, hydroxychloroquine, penicillamine, sulfasalazine) AND when the following condition is met: the patient has had failure, contraindication, or intolerance to Enbrel or Humira.

ORKAMBI

Products Affected

- Orkambi

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	CF mutation test documenting the patient is homozygous for the F508del mutation in the CFTR gene.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

PHOSPHODIESTERASE TYPE 4 (PDE4) INHIBITORS

Products Affected

- Daliresp

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For initial therapy: trial and failure, contraindication, or intolerance to two formulary inhaled COPD agents is required. For continuation of therapy, approve if patient has already been started on Daliresp.

PHOSPHODIESTERASE TYPE 5 (PDE5) INHIBITORS

Products Affected

- Adcirca
- Sildenafil TABS 20MG
- Tadalafil TABS 20MG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Medical documentation of pulmonary arterial hypertension.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

PITUITARY HORMONES

Products Affected

- Eligard
- Genotropin
- Genotropin Miniquick
- Leuprolide Acetate INJ
- Lupron Depot (1-month)
- Lupron Depot (3-month)
- Lupron Depot (4-month)
- Lupron Depot (6-month)
- Lupron Depot-ped (1-month)
- Lupron Depot-ped (3-month)
- Synarel
- Trelstar
- Trelstar Mixject
- Triptodur

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

POTIGA

Products Affected

- Potiga

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

PRALUENT

Products Affected

- Praluent

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Diagnosis of one of the following: Clinical atherosclerotic cardiovascular disease (ASCVD) OR Heterozygous familial hypercholesterolemia (HeFH)
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Initial:6 mo. Reauthorization for 12 mo requires documented evidence of clinical beneficial response
Other Criteria	For ASCVD or HeFH: Patient is on high-intensity statin therapy or maximally tolerated statin therapy, is not at LDL-C level goal (LDL-C greater than 70 mg/dL) and will be continued on high intensity or maximally tolerated statin therapy while on the PCSK9-inhibitor. Patients intolerant to statins as demonstrated by experiencing statin-associated rhabdomyolysis to one statin OR has tried 2 statins (any combination of high or moderate intensity statins) and has experienced skeletal –muscle related symptoms on both agents, no concurrent statin use required.

PROMACTA

Products Affected

- Promacta

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis of: a.) thrombocytopenia in patients with chronic hepatitis C b.) chronic immune (idiopathic) thrombocytopenic purpura (ITP) with documentation of previous therapy with corticosteroids OR intravenous immune globulin (IVIG) therapy over a period of at least 30 days OR insufficient response to a splenectomy, or c.) severe aplastic anemia with documentation of inadequate response to previous immunosuppressive therapy (e.g. Atgam, Thymoglobulin, cyclosporine).
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Use of Promacta for the treatment of thrombocytopenia is considered medically necessary in: a.) patients with chronic hepatitis C, or b.) patients with chronic immune (idiopathic) thrombocytopenic purpura (ITP) that have failed corticosteroid OR intravenous immune globulin (IVIG) therapy OR have had an insufficient response to a splenectomy.

QUININE SULFATE

Products Affected

- Quinine Sulfate CAPS 324MG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	For malaria the authorization is for 7 days. For babesiosis the authorization is 10 days.
Other Criteria	N/A

RAVICTI

Products Affected

- Ravicti

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

RELISTOR

Products Affected

- Relistor INJ

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis and past medication history
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	Use of Relistor is considered medically necessary for the treatment of opioid-induced constipation in patients with advanced illnesses who are receiving palliative care AND have tried and failed laxative therapy with lactulose or polyethylene glycol. Relistor is also considered medically necessary for the treatment of opioid-induced constipation in adult patients with chronic non-cancer pain who have tried and failed laxative therapy with lactulose or polyethylene glycol AND Amitiza.

REPATHA

Products Affected

- Repatha
- Repatha Pushtronex System
- Repatha Sureclick

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Diagnosis of one of the following: Clinical atherosclerotic cardiovascular disease (ASCVD) OR Primary Hyperlipidemia (including Heterozygous familial hypercholesterolemia (HeFH)) OR Homozygous Familial Hypercholesterolemia (HoFH) (confirmed by either: Genetic testing or History of untreated low-density lipoprotein cholesterol (LDL-C) greater than 500mg/dl or treated LDL greater than 300mg/dl with either: presence of xanthomas before the age of 10 years or evidence of heterozygous familial hypercholesterolemia in both parents.)
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Initial:6 mo. Reauthorization for 12 mo requires documented evidence of clinical beneficial response
Other Criteria	For ASCVD or Primary Hyperlipidemia (including HeFH): Patient is on high-intensity statin therapy or maximally tolerated statin therapy, is not at LDL-C level goal (LDL-C greater than 70 mg/dL) and will be continued on high intensity or maximally tolerated statin therapy while on the PCSK9-inhibitor. Patients intolerant to statins as demonstrated by experiencing statin-associated rhabdomyolysis to one statin OR has tried 2 statins (any combination of high or moderate intensity statins) and has experienced skeletal –muscle related symptoms on both agents, no concurrent statin use required. For HoFH: Patient is on high-intensity or maximally tolerated lipid lowering therapy (such as statins and/or ezetimibe), is not at LDL-C level goal (LDL-C greater than 70 mg/dL), and will be continued on high intensity or maximally tolerated lipid lowering therapy while on Repatha. For patients with HoFH who are intolerant to statins, no concurrent statin use required.

RITUXAN

Products Affected

- Rituxan

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Treatment of rheumatoid arthritis (RA) in combination with methotrexate and when EITHER of the following criteria are met: 1.) history of positive clinical response to rituximab therapy OR 2.) inadequate response, intolerance, or contraindication to at least one disease-modifying anti-rheumatic drug (DMARD) (i.e., methotrexate (MTX) azathioprine, hydroxychloroquine, penicillamine, sulfasalazine) AND failure, contraindication, or intolerance to Enbrel or Humira. B vs D coverage determination.

RITUXAN HYCELA

Products Affected

- Rituxan Hycela

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

RUCONEST

Products Affected

- Ruconest

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Patient must have a confirmed diagnosis of HAE.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

SABRIL

Products Affected

- Sabril TABS

- Vigabatrin
- Vigadrone

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis and past medication history
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Sabril and vigabatrin are considered medically necessary in patients that have failed to receive a clinically appropriate response from optimal doses and administration of at least two of the following: phenytoin, divalproex, lamotrigine, and levetiracetam. For the indication of Infantile Spasms, failure of another drug(s) is not required.

SODIUM PHENYL BUTYRATE

Products Affected

- Sodium Phenylbutyrate POWD
3GM/TSP

- Sodium Phenylbutyrate TABS

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

SYLATRON

Products Affected

- Sylatron

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

SYNAGIS

Products Affected

- Synagis INJ 100MG/ML, 50MG/0.5ML

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of diagnosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	N/A

TOPICAL LIDOCAINE

Products Affected

- Glydo
- Lidocaine OINT
- Lidocaine Hcl EXTERNAL SOLN 4%
- Lidocaine Hcl GEL
- Lidocaine Hcl Jelly
- Lidocaine/prilocaine CREA

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	6 months
Other Criteria	If being used as part of a compounded product, all active ingredients in the compounded product must be FDA approved for topical use.

TRANSMUCOSAL FENTANYL CITRATE

Products Affected

- Fentanyl Citrate Oral Transmucosal

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from the medical record of diagnosis.
Age Restrictions	16 years of age and older for fentanyl citrate (lozenge/troche).
Prescriber Restrictions	Enrollment in the Transmucosal Immediate-Release Fentanyl (TIRF) REMS Access program.
Coverage Duration	12 months
Other Criteria	Transmucosal fentanyl products will only be covered with documentation of breakthrough cancer pain. The patient must be currently receiving and be tolerant to opioid therapy for persistent cancer pain. The patient must be enrolled in the TIRF REMS Access program.

TYSABRI

Products Affected

- Tysabri

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Treatment of relapsing forms of multiple sclerosis (MS) when EITHER of the following criteria is met: 1.) history of beneficial clinical response to Tysabri (natalizumab) for MS or 2.) failure, contraindication or intolerance to one formulary alternative (eg. Avonex, Copaxone or Tecfidera). Treatment of moderately to severely active Crohn's disease (CD) when EITHER of the following criteria is met: 1.) history of beneficial clinical response to Tysabri (natalizumab) for CD or 2.) failure or intolerance to Humira.

VASODILATORS

Products Affected

- Opsumit

- Tracleer

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation of pulmonary arterial hypertension
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

VELCADE

Products Affected

- Bortezomib

- Velcade

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

VENTAVIS

Products Affected

- Ventavis

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

VIBERZI

Products Affected

- Viberzi

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Diagnosis of irritable bowel syndrome with diarrhea.
Age Restrictions	18 years of age or older
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	The patient must have a history of failure, contraindication or intolerance to one antidiarrheal drug.

VIVITROL

Products Affected

- Vivitrol

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the treatment of alcohol dependence, the patient must have failure, contraindication, or intolerance to oral naltrexone hcl before Vivitrol is authorized.

VOSEVI

Products Affected

- Vosevi

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	Treatment naive patients
Required Medical Information	Documentation from the medical record of diagnosis including genotype, current medication regimen, HCV-RNA levels, history of previous HCV therapies and presence/absence of cirrhosis.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 weeks, based on indication and established treatment guidelines
Other Criteria	N/A

XATMEP

Products Affected

- Xatmep

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	N/A

XEOMIN

Products Affected

- Xeomin

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Xeomin is authorized for cervical dystonia which causes persistent pain or interferes with the ability to perform age-related activities of daily living.

XGEVA

Products Affected

- Xgeva

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 Months
Other Criteria	For initial therapy in the treatment of hypercalcemia of malignancy: trial and failure, contraindication, or intolerance to one intravenous bisphosphonate (e.g. pamidronate, zoledronic acid) is required. For continuation of therapy in the treatment of hypercalcemia of malignancy, approve if patient has already been started on Xgeva. For other medically accepted indication, no trial of alternatives is required.

XIAFLEX

Products Affected

- Xiaflex

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Xiaflex is authorized for the treatment of a symptomatic Dupuytren's contracture in adults when there is both a palpable cord and a functional impairment as manifested by a metacarpophalangeal (MCP) joint or proximal interphalangeal (PIP) joint contracture of 20 degrees or greater.
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	B vs D coverage determination

XIFAXAN

Products Affected

- Xifaxan TABS 550MG

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	For diagnosis for Traveler's Diarrhea: 1 month. All other indications: 12 months
Other Criteria	N/A

XYREM

Products Affected

- Xyrem

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	The patient must not be taking any sedative hypnotic agents or other CNS depressants.
Required Medical Information	Documentation of diagnosis, sleep study, and enrollment in Xyrem REMS Program.
Age Restrictions	Must be 7 years of age or older.
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	For the initial treatment of excessive daytime sleepiness (EDS) in patients with narcolepsy: trial and failure, contraindication, or intolerance to one CNS stimulant (e.g., methylphenidate, dexamethylphenidate, dextroamphetamine) or armodafinil is required. For continuation of therapy in the treatment of excessive daytime sleepiness (EDS) in patients with narcolepsy, approve if patient has already been started on Xyrem. For other medically accepted indication, no trial of alternatives is required.

YONSA

Products Affected

- Yonsa

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	Documentation from medical records of diagnosis
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	12 months
Other Criteria	Yonsa is approved for use in combination with methylprednisolone for treatment of metastatic castration-resistant prostate cancer. The patient must have a history of failure, intolerance, or contraindication to Zytiga and Xtandi before Yonsa will be authorized.

ZOLADEX

Products Affected

- Zoladex

PA Criteria	Criteria Details
Covered Uses	All medically accepted indications not otherwise excluded from Part D.
Exclusion Criteria	N/A
Required Medical Information	N/A
Age Restrictions	N/A
Prescriber Restrictions	N/A
Coverage Duration	Endometriosis - 6 months. Dysfunctional uterine bleeding - 2 months. All other uses - 12 months.
Other Criteria	N/A

PART B VERSUS PART D

Products Affected

- Acetylcysteine SOLN
- Acyclovir Sodium INJ 500MG, 50MG/ML
- Adriamycin INJ 2MG/ML
- Adrucil INJ 2.5GM/50ML, 500MG/10ML, 5GM/100ML
- Albuterol Sulfate NEBU
- Amifostine
- Amino Acid INJ 50MG/ML; 50MG/ML
- Aminosyn INJ 148MEQ/L; 1280MG/100ML; 980MG/100ML; 1280MG/100ML; 300MG/100ML; 720MG/100ML; 940MG/100ML; 720MG/100ML; 400MG/100ML; 440MG/100ML; 5.4MEQ/L; 860MG/100ML; 420MG/100ML; 520MG/100ML; 160MG/100ML; 44MG/100ML; 800MG/100ML, 90MEQ/L; 1100MG/100ML; 850MG/100ML; 35MEQ/L; 1100MG/100ML; 260MG/100ML; 620MG/100ML; 810MG/100ML; 624MG/100ML; 340MG/100ML; 380MG/100ML; 5.4MEQ/L; 750MG/100ML; 370MG/100ML; 460MG/100ML; 150MG/100ML; 44MG/100ML; 680MG/100ML
- Aminosyn 7%/electrolytes
- Aminosyn 8.5%/electrolytes
- Aminosyn II INJ 107.6MEQ/L; 1490MG/100ML; 1527MG/100ML; 1050MG/100ML; 1107MG/100ML; 750MG/100ML; 450MG/100ML; 990MG/100ML; 1500MG/100ML; 1575MG/100ML; 258MG/100ML; 447MG/100ML; 1083MG/100ML; 795MG/100ML; 50MEQ/L; 600MG/100ML; 300MG/100ML; 405MG/100ML; 750MG/100ML, 50.3MEQ/L; 695MG/100ML; 713MG/100ML; 490MG/100ML; 517MG/100ML; 350MG/100ML; 210MG/100ML; 462MG/100ML; 700MG/100ML; 735MG/100ML; 120MG/100ML; 209MG/100ML; 505MG/100ML; 371MG/100ML; 31.3MEQ/L; 280MG/100ML; 140MG/100ML; 189MG/100ML; 350MG/100ML, 61.1MEQ/L; 844MG/100ML; 865MG/100ML; 595MG/100ML; 627MG/100ML; 425MG/100ML; 255MG/100ML; 561MG/100ML; 850MG/100ML; 893MG/100ML; 146MG/100ML; 253MG/100ML; 614MG/100ML; 450MG/100ML; 33.3MEQ/L; 340MG/100ML; 170MG/100ML; 230MG/100ML; 425MG/100ML, 71.8MEQ/L; 993MG/100ML; 1018MG/100ML; 700MG/100ML; 738MG/100ML; 500MG/100ML; 300MG/100ML; 660MG/100ML; 1000MG/100ML; 1050MG/100ML; 172MG/100ML; 298MG/100ML; 722MG/100ML; 530MG/100ML; 38MEQ/L; 400MG/100ML; 200MG/100ML; 270MG/100ML; 500MG/100ML
- Aminosyn II 8.5%/electrolytes

- Aminosyn M INJ 65MEQ/L; 448MG/100ML; 343MG/100ML; 40MEQ/L; 448MG/100ML; 105MG/100ML; 252MG/100ML; 329MG/100ML; 252MG/100ML; 3MEQ/L; 140MG/100ML; 154MG/100ML; 3.5MMOLE/L; 13MEQ/L; 300MG/100ML; 147MG/100ML; 40MEQ/L; 182MG/100ML; 56MG/100ML; 31MG/100ML; 280MG/100ML
- Aminosyn-hbc
- Aminosyn-pf INJ 46MEQ/L; 698MG/100ML; 1227MG/100ML; 527MG/100ML; 820MG/100ML; 385MG/100ML; 312MG/100ML; 760MG/100ML; 1200MG/100ML; 677MG/100ML; 180MG/100ML; 427MG/100ML; 812MG/100ML; 495MG/100ML; 3.4MEQ/L; 70MG/100ML; 512MG/100ML; 180MG/100ML; 44MG/100ML; 673MG/100ML
- Aminosyn-pf 7%
- Aminosyn-rf
- Aprepitant
- Aralast Np INJ 1000MG, 500MG, 800MG
- Arranon
- Arsenic Trioxide INJ
- Arzerra
- Azacitidine
- Bavencio
- Beleodaq
- Bendeka
- Bicnu
- Bleomycin
- Bleomycin Sulfate INJ
- Brovana
- Budesonide SUSP
- Busulfan
- Busulfex
- Carboplatin INJ 150MG/15ML, 450MG/45ML, 50MG/5ML, 600MG/60ML
- Carmustine
- Carnitor INJ
- Cerezyme
- Cesamet
- Cisplatin INJ 100MG/100ML, 200MG/200ML, 50MG/50ML
- Cladribine
- Clinimix 2.75%/dextrose 5%
- Clinimix 4.25%/dextrose 10%
- Clinimix 4.25%/dextrose 20%
- Clinimix 4.25%/dextrose 25%
- Clinimix 4.25%/dextrose 5%
- Clinimix 5%/dextrose 15%
- Clinimix 5%/dextrose 20%
- Clinimix 5%/dextrose 25%
- Clinimix E 2.75%/dextrose 10%
- Clinimix E 2.75%/dextrose 5%
- Clinimix E 4.25%/dextrose 10%
- Clinimix E 4.25%/dextrose 25%
- Clinimix E 4.25%/dextrose 5%
- Clinimix E 5%/dextrose 15%
- Clinimix E 5%/dextrose 20%
- Clinimix E 5%/dextrose 25%
- Clinimix N9g15e
- Clinisol Sf 15%
- Clofarabine
- Cosmegen
- Cromolyn Sodium NEBU
- Cyclophosphamide CAPS
- Cyclophosphamide INJ
- Cyramza
- Cytarabine INJ 100MG/ML, 20MG/ML
- Cytarabine Aqueous
- Dacarbazine INJ 100MG, 200MG
- Dactinomycin
- Darzalex
- Daunorubicin Hcl INJ 20MG/4ML
- Daunorubicin Hydrochloride
- Decitabine
- Dexrazoxane
- Dextrose INJ
- Dextrose 10%/nacl 0.45%
- Dextrose 5% /electrolyte #48 Viaflex
- Dextrose 10%

- Dextrose 10%/nacl 0.2%
- Dextrose 2.5%/nacl 0.45%
- Dextrose 20%
- Dextrose 25% INJ 250MG/ML
- Dextrose 30%
- Dextrose 40%
- Dextrose 5%/lactated Ringers
- Dextrose 5%/nacl 0.225%
- Dextrose 50%
- Docefrez INJ 20MG
- Docetaxel INJ 140MG/7ML, 160MG/16ML, 160MG/8ML, 200MG/10ML, 200MG/20ML, 20MG/2ML, 20MG/ML, 80MG/4ML, 80MG/8ML
- Doxorubicin Hcl INJ 10MG, 2MG/ML, 50MG
- Doxorubicin Hcl Liposome
- Doxorubicin Hydrochloride Liposomal
- Dronabinol
- Duramorph
- Elitek
- Emend SUSR
- Empliciti
- Engerix-b
- Epirubicin Hcl INJ 200MG/100ML, 50MG/25ML
- Erwinaze
- Ethyol
- Etoposide INJ 100MG/5ML, 1GM/50ML, 500MG/25ML
- Evomela
- Fabrazyme
- Faslodex INJ 250MG/5ML
- Firmagon
- Floxuridine INJ
- Fludarabine Phosphate
- Fluorouracil INJ 1GM/20ML, 2.5GM/50ML, 500MG/10ML, 5GM/100ML
- Folutyn
- Freamine Hbc 6.9%
- Freamine III INJ 89MEQ/L; 710MG/100ML; 950MG/100ML; 3MEQ/L; 24MG/100ML; 1400MG/100ML; 280MG/100ML; 690MG/100ML; 910MG/100ML; 730MG/100ML; 530MG/100ML; 560MG/100ML; 10MMOLE/L; 120MG/100ML; 1120MG/100ML; 590MG/100ML; 10MEQ/L; 400MG/100ML; 150MG/100ML; 660MG/100ML
- Gammaked
- Gamunex-c
- Ganciclovir INJ 500MG, 500MG/10ML
- Gazyva
- Gemcitabine
- Gemcitabine Hcl
- Gemcitabine Hydrochloride
- Glassia
- Granisetron Hcl TABS
- Hepatamine
- Heplisav-b
- Herceptin INJ 150MG
- Hyperlyte-cr
- Idarubicin Hcl
- Idarubicin Hydrochloride
- Ifosfamide
- Imovax Rabies (h.d.c.v.)
- Intralipid INJ 20GM/100ML, 30GM/100ML
- Ipratropium Bromide INHALATION SOLN 0.02%
- Ipratropium Bromide/albuterol Sulfate
- Irinotecan
- Irinotecan Hcl
- Irinotecan Hydrochloride
- Isolyte-s
- Isolyte-s Ph 7.4
- Istodax (overfill)
- Ixempra Kit
- Kabiven
- Kadcyła
- Kcl 0.075%/d5w/nacl 0.45%
- Kcl 0.15%/d5w/nacl 0.2%

- Kcl 0.15%/d5w/nacl 0.225% INJ 5%; 20MEQ/L; 0.225%
- Kcl 0.15%/d5w/nacl 0.45%
- Kcl 0.15%/d5w/nacl 0.9%
- Kcl 0.3%/d5w/nacl 0.45%
- Kcl 0.3%/d5w/nacl 0.9%
- Keytruda INJ 100MG/4ML
- Kyprolis
- Levalbuterol NEBU
- Levalbuterol Hcl NEBU
- Lipodox
- Lipodox 50
- Liposyn III INJ 1.2GM/100ML; 2.5GM/100ML; 10GM/100ML, 1.2GM/100ML; 2.5GM/100ML; 20GM/100ML
- Magnesium Sulfate INJ 20GM/500ML, 2GM/50ML, 40GM/1000ML, 4GM/100ML, 4GM/50ML, 50%
- Magnesium Sulfate In D5w INJ 5%; 1GM/100ML
- Marqibo
- Melphalan Hydrochloride
- Mesna
- Mitomycin INJ 20MG, 40MG, 5MG
- Mitoxantrone Hcl INJ 2MG/ML
- Morphine Sulfate INJ 0.5MG/ML, 10MG/ML, 150MG/30ML, 15MG/ML, 1MG/ML, 25MG/ML, 2MG/ML, 4MG/ML, 50MG/ML, 5MG/ML, 8MG/ML
- Mustargen
- Nebupent
- Nephramine
- Nipent
- Normosol -r
- Normosol-m In D5w
- Normosol-r
- Normosol-r In D5w
- Nutrilipid
- Nutrilite INJ 2.03MEQ/ML; 0.25MEQ/ML; 1.68MEQ/ML; 0.25MEQ/ML; 0.4MEQ/ML; 2.03MEQ/ML; 1.25MEQ
- Nutrilite II
- Oncaspar
- Ondansetron Hcl INJ 40MG/20ML, 4MG/2ML
- Ondansetron Hcl SOLN
- Ondansetron Hcl TABS
- Ondansetron Odt
- Opdivo
- Oxaliplatin
- Paclitaxel INJ 100MG/16.7ML, 150MG/25ML, 300MG/50ML, 30MG/5ML
- Pamidronate Disodium INJ 30MG/10ML, 6MG/ML, 90MG/10ML
- Perforomist
- Perikabiven
- Perjeta
- Plasma-lyte A
- Plasma-lyte-148
- Plasma-lyte-56/d5w
- Plenamine
- Portrazza
- Potassium Chloride INJ 0.4MEQ/ML, 10MEQ/100ML, 10MEQ/50ML, 20MEQ/100ML, 2MEQ/ML, 40MEQ/100ML
- Potassium Chloride /sodium Chloride
- Potassium Chloride/dextrose INJ 5%; 20MEQ/L, 5%; 40MEQ/L
- Potassium Chloride/dextrose/lactated Ringers
- Potassium Chloride/dextrose/sodium Chloride
- Potassium Chloride/sodium Chloride INJ 20MEQ/L; 0.45%, 20MEQ/L; 0.9%, 40MEQ/L; 0.9%
- Premasol
- Prialt
- Procalamine
- Prolastin-c INJ 1000MG
- Proleukin
- Prosol
- Pulmozyme
- Rabavert
- Recombivax Hb

- Remodulin
- Ribavirin SOLR
- Romidepsin
- Simulect
- Sodium Bicarbonate INJ 4.2%, 7.5%, 8.4%
- Sodium Bicarbonate Partial Fill
- Sodium Lactate INJ 5MEQ/ML
- Synribo
- Temsirolimus
- Thiotepa INJ 15MG
- Thymoglobulin
- Tobramycin NEBU
- Toposar INJ 100MG/5ML, 1GM/50ML, 500MG/25ML
- Topotecan Hcl
- Topotecan Hydrochloride
- Torisel
- Tpn Electrolytes
- Travasol INJ 52MEQ/L; 1760MG/100ML; 880MG/100ML; 34MEQ/L; 1760MG/100ML; 372MG/100ML; 406MG/100ML; 526MG/100ML; 492MG/100ML; 492MG/100ML; 526MG/100ML; 356MG/100ML; 500MG/100ML; 356MG/100ML; 390MG/100ML; 34MG/100ML; 152MG/100ML
- Treanda
- Trisenox
- Trogarzo
- Trophamine
- Tyvaso
- Tyvaso Refill
- Tyvaso Starter
- Unituxin
- Uvadex
- Vinblastine Sulfate INJ 1MG/ML
- Vincasar Pfs
- Vincristine Sulfate INJ
- Vinorelbine Tartrate
- Vyxeos
- Yondelis
- Zaltrap
- Zanosar
- Zemaira
- Zoledronic Acid INJ 4MG, 4MG/5ML, 5MG/100ML

Details

This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

INDEX

A

Abelcet	11
Abraxane	1
Acetylcysteine	117
Actemra	2
Acthar Hp	3
Actimmune	4
Acyclovir Sodium	117
Adcirca	84
Adempas	5
Adriamycin	117
Adrucil	117
Albuterol Sulfate	117
Alecensa	74
Alimta	6
Aliqopa	14
Alora	47
Alosetron	7
Alosetron Hydrochloride	7
Alunbrig	74
Amabelz	47
Ambisome	11
Amifostine	117
Amino Acid	117
Aminosyn	117
Aminosyn 7%/electrolytes	117
Aminosyn 8.5%/electrolytes	117
Aminosyn II	117
Aminosyn II 8.5%/electrolytes	117
Aminosyn M	118
Aminosyn-hbc	118
Aminosyn-pf	118
Aminosyn-pf 7%	118
Aminosyn-rf	118
Amitriptyline Hcl	54
Amphotericin B	11
Ampyra	8

Anabolic Steroids, Androgens	9
Anadrol-50	9
Angeliq	47
Antifungals, Azole	10
Antifungals, Polyene	11
Antifungals, Superficial And Systemic	12
Antifungals, Triazole	13
Antineoplastics, Monoclonal Antibodies	14
Apokyn	15
Aprepitant	118
Aralast Np	118
Aranesp Albumin Free	41
Arcalyst	16
Armodafinil	17
Arranon	118
Arsenic Trioxide	118
Arzerra	118
Astagraf XL	60
Atgam	60
Avastin	14
Avonex	61
Avonex Pen	61
Azacitidine	118
Azathioprine	60

B

Bavencio	118
Beleodaq	118
Bendeka	118
Benlysta	18
Benzotropine Mesylate	44
Berinert	19
Besponsa	14
Bicnu	118
Bleomycin	118
Bleomycin Sulfate	118
Bortezomib	104
Botox	20

Braftovi.....	74
Brovana	118
Budesonide	118
Buprenorphine.....	21
Buprenorphine Hcl	21
Buprenorphine-naloxone Products.....	22
Busulfan	118
Busulfex	118
Butalbital/acetaminophen.....	45
Butalbital/acetaminophen/caffeine.....	45
Butalbital/aspirin/caffeine	45

C

Cabometyx	74
Calquence	74
Capacet.....	45
Carbaglu	23
Carboplatin.....	118
Carmustine	118
Carnitor.....	118
Cellcept.....	60
Cerezyme.....	118
Cesamet	118
Cinryze	24
Cisplatin	118
Cladribine.....	118
Climara Pro	47
Clinimix 2.75%/dextrose 5%	118
Clinimix 4.25%/dextrose 10%	118
Clinimix 4.25%/dextrose 20%	118
Clinimix 4.25%/dextrose 25%	118
Clinimix 4.25%/dextrose 5%	118
Clinimix 5%/dextrose 15%	118
Clinimix 5%/dextrose 20%	118
Clinimix 5%/dextrose 25%	118
Clinimix E 2.75%/dextrose 10%.....	118
Clinimix E 2.75%/dextrose 5%.....	118
Clinimix E 4.25%/dextrose 10%.....	118
Clinimix E 4.25%/dextrose 25%.....	118
Clinimix E 4.25%/dextrose 5%.....	118
Clinimix E 5%/dextrose 15%.....	118
Clinimix E 5%/dextrose 20%.....	118
Clinimix E 5%/dextrose 25%.....	118
Clinimix N9g15e.....	118
Clinisol Sf 15%	118

Clofarabine.....	118
Clomipramine Hcl.....	54
Colony Stimulating Factors	25
Combipatch.....	47
Copaxone	61
Copiktra.....	74
Corlanor	26
Cosmegen.....	118
Cromolyn Sodium.....	118
Cyclobenzaprine Hcl.....	53
Cyclophosphamide.....	118
Cyclosporine	60
Cyclosporine Modified	60
Cyramza	118
Cytarabine.....	118
Cytarabine Aqueous.....	118

D

Dacarbazine.....	118
Dactinomycin.....	118
Daliresp.....	83
Darzalex	118
Daunorubicin Hcl.....	118
Daunorubicin Hydrochloride	118
Decitabine	118
Dermatological Retinoids	27
Dermatological Wound Care Agents	28
Dexrazoxane	118
Dextrose	118
Dextrose 10%/nacl 0.45%.....	118
Dextrose 5% /electrolyte #48 Viaflex.....	118
Dextrose 10%.....	118
Dextrose 10%/nacl 0.2%.....	119
Dextrose 2.5%/nacl 0.45%.....	119
Dextrose 20%.....	119
Dextrose 25%.....	119
Dextrose 30%.....	119
Dextrose 40%.....	119
Dextrose 5%/lactated Ringers.....	119
Dextrose 5%/nacl 0.225%.....	119
Dextrose 50%.....	119
Dificid	29
Digitek.....	46
Digox.....	46
Digoxin	46

Dihydroergotamine Mesylate.....	30
Docefrez	119
Docetaxel.....	119
Doxepin Hcl	54
Doxorubicin Hcl.....	119
Doxorubicin Hcl Liposome.....	119
Doxorubicin Hydrochloride Liposomal	119
Dronabinol.....	119
Duavee.....	31
Duramorph	119
Dysport.....	32

E

Egrifta.....	33
Eligard	85
Elitek	119
Emend.....	119
Empliciti.....	119
Enbrel	58
Enbrel Mini	58
Enbrel Sureclick	58
Engerix-b.....	119
Entresto.....	34
Envarsus Xr.....	60
Epclusa	35
Epidiolex	36
Epirubicin Hcl	119
Erbitux.....	14
Erwinaze.....	119
Esbriet.....	37
Esgic	45
Estradiol	47
Estradiol/norethindrone Acetate.....	47
Estropipate.....	47
Ethylol	119
Etoposide.....	119
Evomela.....	119
Extavia.....	61

F

Fabrazyme	119
Faslodex	119
Fentanyl Citrate Oral Transmucosal	101
Firazyr	38
Firmagon	119

Floxuridine.....	119
Fludarabine Phosphate	119
Fluorouracil.....	119
Folotyn	119
Forteo	72
Freamine Hbc 6.9%	119
Freamine III	119
Fyavolv	47

G

Gammaked	119
Gamunex-c.....	119
Ganciclovir.....	119
Gattex	39
Gazyva	119
Gemcitabine	119
Gemcitabine Hcl	119
Gemcitabine Hydrochloride.....	119
Gengraf	60
Genotropin	85
Genotropin Miniquick.....	85
Glassia.....	119
Glydo.....	100
Granisetron Hcl.....	119

H

H.p. Acthar.....	3
Harvoni	40
Hematopoietics	41
Hepatamine	119
Heplisav-b.....	119
Herceptin.....	14, 119
Hetlioz.....	42
Hormonal Agents, Somatostatin Analogs.....	43
Hrm - Benztrapine	44
Hrm - Butalbital Combinations.....	45
Hrm - Digoxin.....	46
Hrm - Estrogens	47
Hrm - Megestrol.....	49
Hrm - Menest	50
Hrm - Perphenazine/amitriptyline.....	51
Hrm - Promethazine	52
Hrm - Skeletal Muscle Relaxants	53
Hrm - Tricyclic Antidepressants.....	54
Hrm - Trihexyphenidyl	55

Humira.....	58	Kadcyla	119
Humira Pediatric Crohns Disease Starter Pack ...	58	Kalbitor	64
Humira Pen.....	58	Kalydeco	65
Humira Pen-cd/uc/hs Starter	58	Kcl 0.075%/d5w/nacl 0.45%	119
Humira Pen-ps/uv Starter	58	Kcl 0.15%/d5w/nacl 0.2%	119
Hydroxyprogesterone	56	Kcl 0.15%/d5w/nacl 0.225%	120
Hydroxyprogesterone Caproate.....	56, 70	Kcl 0.15%/d5w/nacl 0.45%	120
Hyperlyte-cr	119	Kcl 0.15%/d5w/nacl 0.9%	120
I			
Idarubicin Hcl.....	119	Kcl 0.3%/d5w/nacl 0.45%	120
Idarubicin Hydrochloride	119	Kcl 0.3%/d5w/nacl 0.9%	120
Idhifa	74	Ketorolac Tromethamine	66
Ifosfamide.....	119	Keytruda.....	120
Imatinib Mesylate.....	74	Kisqali	74
Imbruvica	74	Kisqali Femara 200 Dose.....	74
Imfinzi	14	Kisqali Femara 400 Dose.....	74
Imipramine Hcl	54	Kisqali Femara 600 Dose.....	74
Imipramine Hydrochloride.....	54	Korlym	67
Immune Stimulants, Non-vaccine	57	Kuvan.....	68
Immune Suppressants.....	58	Kyprolis.....	120
Immune Suppressants - Transplant Related	60	L	
Immunomodulators	61	Lanoxin	46
Imovax Rabies (h.d.c.v.)	119	Lanoxin Pediatric	46
Increlex.....	62	Lartruvo.....	14
Insulin-like Growth Factor	62	Leukine	25
Intralipid.....	119	Leuprolide Acetate.....	85
Ipratropium Bromide.....	119	Levalbuterol	120
Ipratropium Bromide/albuterol Sulfate	119	Levalbuterol Hcl	120
Irinotecan.....	119	Libtayo	14
Irinotecan Hcl.....	119	Lidocaine.....	69, 100
Irinotecan Hydrochloride	119	Lidocaine Hcl.....	100
Isolyte-s	119	Lidocaine Hcl Jelly	100
Isolyte-s Ph 7.4.....	119	Lidocaine Patch.....	69
Istodax (overfill).....	119	Lidocaine/prilocaine	100
Itraconazole	12	Lipodox	120
Ixempra Kit	119	Lipodox 50.....	120
J			
Jevantique Lo	47	Liposyn III	120
Jevtana.....	63	Lopreeza.....	47
Jinteli	47	Lorbrena	74
K			
Kabiven	119	Lupron Depot (1-month).....	85
		Lupron Depot (3-month).....	85
		Lupron Depot (4-month).....	85
		Lupron Depot (6-month).....	85
		Lupron Depot-ped (1-month).....	85
		Lupron Depot-ped (3-month).....	85

M	
Magnesium Sulfate.....	120
Magnesium Sulfate In D5w.....	120
Makena.....	70
Marqibo.....	120
Marten-tab.....	45
Megestrol Acetate.....	49
Mektovi.....	74
Melphalan Hydrochloride.....	120
Memantine.....	71
Memantine Hcl.....	71
Memantine Hcl Titration Pak.....	71
Memantine Hydrochloride.....	71
Memantine Hydrochloride Er.....	71
Menest.....	50
Menostar.....	47
Mesna.....	120
Metabolic Bone Disease Agents.....	72
Mimvey.....	47
Mimvey Lo.....	47
Mitomycin.....	120
Mitoxantrone Hcl.....	120
Modafinil.....	73
Molecular Target Inhibitors.....	74
Monoclonal Antibodies.....	75
Morphine Sulfate.....	120
Mustargen.....	120
Mycophenolate Mofetil.....	60
Mycophenolic Acid Dr.....	60
Mylotarg.....	14
N	
Natpara.....	76
Nebupent.....	120
Neoral.....	60
Nephramine.....	120
Nerlynx.....	74
Nipent.....	120
Norethindrone Acetate/ethinyl Estradiol.....	47
Normosol -r.....	120
Normosol-m In D5w.....	120
Normosol-r.....	120
Normosol-r In D5w.....	120
Northera.....	77
Noxafil.....	13
Nuedexta.....	78
Nulojix.....	60
Nuplazid.....	79
Nutrilipid.....	120
Nutrilyte.....	120
Nutrilyte II.....	120
O	
Octreotide Acetate.....	43
Ofev.....	80
Oncaspar.....	120
Ondansetron Hcl.....	120
Ondansetron Odt.....	120
Opdivo.....	120
Opsumit.....	103
Orencia.....	81
Orencia IV.....	81
Orkambi.....	82
Orphenadrine Citrate Er.....	53
Oxaliplatin.....	120
Oxandrolone.....	9
P	
Paclitaxel.....	120
Pamidronate Disodium.....	120
Part B Versus Part D.....	117
Pegasys.....	57
Pegasys Proclick.....	57
Perforomist.....	120
Perikabiven.....	120
Perjeta.....	120
Perphenazine/amitriptyline.....	51
Phosphodiesterase Type 4 (pde4) Inhibitors.....	83
Phosphodiesterase Type 5 (pde5) Inhibitors.....	84
Pituitary Hormones.....	85
Plasma-lyte A.....	120
Plasma-lyte-148.....	120
Plasma-lyte-56/d5w.....	120
Plenaminate.....	120
Portrazza.....	120
Potassium Chloride.....	120
Potassium Chloride /sodium Chloride.....	120
Potassium Chloride/dextrose.....	120
Potassium Chloride/dextrose/lactated Ringers ..	120

Potassium Chloride/dextrose/sodium Chloride	120
Potassium Chloride/sodium Chloride	120
Poteligeo	14
Potiga	86
Praluent	87
Prefest	47
Premarin	47
Premasol	120
Premphase	47
Prempro	47
Prialt	120
Procalamine	120
Procrit	41
Prograf	60
Prolastin-c	120
Proleukin	120
Promacta	88
Promethazine Hcl	52
Promethazine Hcl Plain	52
Promethazine Hydrochloride	52
Promethazine Vc Plain	52
Prosol	120
Pulmozyme	120

Q

Quinine Sulfate	89
-----------------	----

R

Rabavert	120
Rapamune	60
Raviecti	90
Recombivax Hb	120
Regranex	28
Relistor	91
Remodulin	121
Renflexis	58
Repatha	92
Repatha Pushtrex System	92
Repatha Sureclick	92
Retacrit	41
Ribavirin	121
Rituxan	93
Rituxan Hycela	94
Romidepsin	121
Rubraca	74

Ruconest	95
Rydapt	74

S

Sabril	96
Sandimmune	60
Sandostatin Lar Depot	43
Sildenafil	84
Simulect	121
Sirolimus	60
Sodium Bicarbonate	121
Sodium Bicarbonate Partial Fill	121
Sodium Lactate	121
Sodium Phenylbutyrate	97
Somatuline Depot	43
Sporanox	12
Suboxone	22
Sylatron	98
Synagis	99
Synarel	85
Synribo	121

T

Tacrolimus	60
Tadalafil	84
Tecentriq	14
Tecfidera	61
Tecfidera Starter Pack	61
Temsirolimus	121
Thiotepa	121
Thymoglobulin	121
Tibsovo	74
Tobramycin	121
Topical Lidocaine	100
Toposar	121
Topotecan Hcl	121
Topotecan Hydrochloride	121
Torisel	121
Tpn Electrolytes	121
Tracleer	103
Transmucosal Fentanyl Citrate	101
Travasol	121
Treanda	121
Trelstar	85
Trelstar Mixject	85

Tretinoin.....	27	Vivitrol.....	107
Tretinoin Microsphere.....	27	Vizimpro.....	74
Tretinoin Microsphere Pump.....	27	Voriconazole.....	10
Trihexyphenidyl Hcl.....	55	Vosevi.....	108
Trimipramine Maleate.....	54	Vyxeos.....	121
Triptodur.....	85	X	
Trisenox.....	121	Xatmep.....	109
Trogarzo.....	121	Xeomin.....	110
Trophamine.....	121	Xgeva.....	111
Tysabri.....	102	Xiaflex.....	112
Tyvaso.....	121	Xifaxan.....	113
Tyvaso Refill.....	121	Xolair.....	75
Tyvaso Starter.....	121	Xyrem.....	114
U		Y	
Unituxin.....	121	Yervoy.....	14
Uvadex.....	121	Yondelis.....	121
V		Yonsa.....	115
Vasodilators.....	103	Z	
Vectibix.....	14	Zaltrap.....	121
Velcade.....	104	Zanosar.....	121
Ventavis.....	105	Zebutal.....	45
Verzenio.....	74	Zejula.....	74
Viberzi.....	106	Zemaira.....	121
Vigabatrin.....	96	Zoladex.....	116
Vigadrone.....	96	Zoledronic Acid.....	121
Vinblastine Sulfate.....	121	Zortress.....	60
Vincasar Pfs.....	121	Zubsolv.....	22
Vincristine Sulfate.....	121		
Vinorelbine Tartrate.....	121		