

NCPDP VERSION D CLAIM BILLING/CLAIM REBILL REQUEST CLAIM BILLING/CLAIM REBILL PAYER SHEET

** Start of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

GENERAL INFORMATION

Payer Name: Great West, Now a part of Cigna		Date: 04/30/2015
Plan Name/Group Name: Great West Commercial		BIN: 017010 PCN: 05180000
Plan Name/Group Name: Great West TPA		BIN: 017010 PCN: 05190000
Plan Name/Group Name:		BIN: PCN:
Plan Name/Group Name:		BIN: PCN:
Processor: Argus Health Systems		
Effective as of: 06/01/2015		NCPDP Telecommunication Standard Version/Release #: D.0
NCPDP Data Dictionary Version Date: July, 2007		NCPDP External Code List Version Date: March, 2010
Contact/Information Source: Great West, now a part of Cigna call center Phone #'s: Core business (customer 518) Pharmacist number: 800.351.9170; TPA (customer 519) Pharmacist number 800.325.1404		
Certification Testing Window: Certification Not Required.		
Certification Contact Information: Certification Not Required.		
Provider Relations Help Desk Info: Great West, now a part of Cigna Not Available		
Other versions supported:		

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B2	Reversal

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill <i>If Situational, Payer Situation</i>
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		Certification Not Required.
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used		

Field #	Transaction Header Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Claim Billing/Claim Rebill <i>Payer Situation</i>
1Ø1-A1	BIN NUMBER	017010	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER	05180000 05190000	M	Valid PCN required.

Transaction Header Segment			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
109-A9	TRANSACTION COUNT	1 - 4	M	1 - 4 transactions for transmissions
202-B2	SERVICE PROVIDER ID QUALIFIER	01	M	Only value '01' (NPI) accepted.
201-B1	SERVICE PROVIDER ID		M	NPI of pharmacy
401-D1	DATE OF SERVICE		M	
110-AK	SOFTWARE VENDOR/CERTIFICATION ID	601DN30Y	M	601DN30Y

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Insurance Segment Segment Identification (111-AM) = "04"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
302-C2	CARDHOLDER ID		M	
303-C3	PERSON CODE	00 = Cardholder 01 - 99 = Spouse/Dependents	R	Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID. Payer Requirement: Same as Imp Guide

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Patient Segment Segment Identification (111-AM) = "01"			Claim Billing/Claim Rebill	
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
304-C4	DATE OF BIRTH		R	
305-C5	PATIENT GENDER CODE		R	

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills	X	
This payer does not support partial fills		

Claim Segment Segment Identification (111-AM) = "07"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	Ø1 = Rx Billing	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	ØØ = Unspecified Ø3 = NDC	M	ØØ = Multi-Ingredient Compound billing
4Ø7-D7	PRODUCT/SERVICE ID	Ø = If Compound, otherwise 11 digit NDC	M	
456-EN	ASSOCIATED PRESCRIPTION/SERVICE REFERENCE NUMBER		RW	<i>Imp Guide:</i> Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)). Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription. <i>Payer Requirement: Same as Imp Guide.</i>
457-EP	ASSOCIATED PRESCRIPTION/SERVICE DATE		RW	<i>Imp Guide:</i> Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)). Required if Associated Prescription/Service Reference Number (456-EN) is used. Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription. <i>Payer Requirement: Same as Imp Guide.</i>
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER	Ø = Original; Ø1- 99 Refill	R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	Ø=Not Specified; 1=Not a Compound; 2=Compound	R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration. <i>Payer Requirement: Same as Imp Guide.</i>
419-DJ	PRESCRIPTION ORIGIN CODE		RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration. <i>Payer Requirement: Required on original Rx. When Fill Number is 'Ø' (Original Prescription), the POC requires a value of 1 – 5. Optional on refill Rx. When Fill Number is Ø1 – 99 (Refill Prescription), the POC may be submitted with values of Ø – 5. Values of 1 – 4 are recommended. Note: POC editing for Original Rx varies by customer. If claim denies, will return NCPDP Reject Code '33' (M/I Prescription Origin Code)</i>
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3	RW	<i>Imp Guide:</i> Required if Submission Clarification Code (42Ø-DK) is used. <i>Payer Requirement: Same as Imp Guide.</i>
42Ø-DK	SUBMISSION CLARIFICATION CODE		RW	<i>Imp Guide:</i> Required if clarification is needed and value submitted is greater than zero (Ø).

Claim Segment Segment Identification (111-AM) = "07"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				<p>If the Date of Service (401-D1) contains the subsequent payer coverage date, the Submission Clarification Code (420-DK) is required with value of "19" (Split Billing – indicates the quantity dispensed is the remainder billed to a subsequent payer when Medicare Part A expires. Used only in long-term care settings) for individual unit of use medications.</p> <p><i>Payer Requirement: Same as Imp Guide. Initial compound claim may be submitted without 8 to determine which drugs will be covered, but claims must then be resubmitted with SCC8</i></p>
308-C8	OTHER COVERAGE CODE		RW	<p><i>Imp Guide:</i> Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers.</p> <p>Required for Coordination of Benefits.</p> <p><i>Payer Requirement: Same as Imp Guide.</i></p>
461-EU	PRIOR AUTHORIZATION TYPE CODE		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.</p> <p><i>Payer Requirement: Same as Imp Guide</i></p>
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.</p> <p><i>Payer Requirement: Required when prior authorization number is issued.</i></p>
343-HD	DISPENSING STATUS		RW	<p><i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription.</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
344-HF	QUANTITY INTENDED TO BE DISPENSED		RW	<p><i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription.</p> <p><i>Payer Requirement: (Same as Imp Guide).</i></p>
345-HG	DAYS SUPPLY INTENDED TO BE DISPENSED		RW	<p><i>Imp Guide:</i> Required for the partial fill or the completion fill of a prescription.</p> <p><i>Payer Requirement: (Same as Imp Guide).</i></p>

Pricing Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
409-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	<p><i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (430-DU) calculation.</p> <p><i>Payer Requirement: (Same as Imp Guide).</i></p>
478-H7	OTHER AMOUNT CLAIMED SUBMITTED COUNT	Maximum count of 3.	RW	<p><i>Imp Guide:</i> Required if Other Amount Claimed Submitted Qualifier (479-H8) is used.</p> <p><i>Payer Requirement: (Same as Imp Guide).</i></p>

Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
479-H8	OTHER AMOUNT CLAIMED SUBMITTED QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted (48Ø-H9) is used. <i>Payer Requirement:</i> (Same as Imp Guide).
48Ø-H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> (Same as Imp Guide).
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX) <i>Payer Requirement:</i> (Same as Imp Guide
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Rate Submitted (483-HE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX) <i>Payer Requirement:</i> Same as Imp Guide
426-DQ	USUAL AND CUSTOMARY CHARGE		RW	<i>Imp Guide:</i> Required if needed per trading partner agreement. <i>Payer Requirement:</i> (Same as Imp Guide)
43Ø-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim/encounter adjudication. <i>Payer Requirement</i> (Same as Imp Guide).

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 – NPI	R	<i>Imp Guide:</i> Required if Prescriber ID (411-DB) is used. <i>Payer Requirement:</i> Same as Imp Guide.
411-DB	PRESCRIBER ID		R	<i>Imp Guide:</i> Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs. <i>Payer Requirement:</i> Prescriber NPI required.

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required only for secondary, tertiary, etc claims.
Scenario 1 – Other Payer Amount Paid Repetitions Only		
Scenario 2 – Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only	X	
Scenario 3 – Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)		

If the Payer supports the Coordination of Benefits/Other Payments Segment, only one scenario method shown above may be supported per template. The template shows the Coordination of Benefits/Other Payments Segment that must be used for each scenario method. The Payer must choose the appropriate scenario method with the segment chart, and delete the other scenario methods with their segment charts. See section [Coordination of Benefits \(COB\) Processing](#) for more information.

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
				Scenario 1 – Other Payer Amount Paid Repetitions Only
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used. <i>Payer Requirement:</i> (Same as Imp Guide).
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if identification of the Other Payer is necessary for claim/encounter adjudication. <i>Payer Requirement:</i> (Same as Imp Guide).
443-E8	OTHER PAYER DATE		RW	<i>Imp Guide:</i> Required if identification of the Other Payer Date is necessary for claim/encounter adjudication. <i>Payer Requirement:</i> (Same as Imp Guide).
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	Same as Imp Guide
472-6E	OTHER PAYER REJECT CODE		RW	Same as Imp Guide
353-NR	Other Payer-Patient Responsibility Amount Count		RW	<i>Imp Guide:</i> Required if Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used. <i>Payer Requirement:</i> (Same as Imp Guide).
351-NP	Other Payer-Patient Responsibility Amount Qualifier		RW	<i>Imp Guide:</i> Required if Other Payer-Patient Responsibility Amount (352-NQ) is used.

Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Scenario 1 – Other Payer Amount Paid Repetitions Only
				<i>Payer Requirement: (Same as Imp Guide).</i>
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		RW	<i>Imp Guide:</i> Required if necessary for patient financial responsibility only billing. Required if necessary for state/federal/regulatory agency programs. Not used for non-governmental agency programs if Other Payer Amount Paid (431-DV) is submitted. <i>Payer Requirement: (Same as Imp Guide).</i>

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	To be sent if claim is for a compound.

Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill	
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER		M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		RW	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed. <i>Payer Requirement: (Same as Imp Guide).</i>
49Ø-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed. <i>Payer Requirement: Same as Imp Guide).</i>

** End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET

CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

GENERAL INFORMATION

Payer Name: Great West, Now a part of Cigna	Date: 04/30/2015	
Plan Name/Group Name: Great West Commercial	BIN: 017010	PCN: 05180000
Plan Name/Group Name: Great West TPA	BIN: 017010	PCN: 05190000

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Insurance Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Used to provide Network Reimbursement ID when applicable.

	Response Insurance Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
301-C1	GROUP ID			<i>Imp Guide:</i> Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. Required to identify the actual group that was used when multiple group coverages exist. <i>Payer Requirement: (Same as Imp Guide)</i>
545-2F	NETWORK REIMBURSEMENT ID		RW	<i>Imp Guide:</i> Required if needed to identify the network for the covered member. Required if needed to identify the actual Network Reimbursement ID, when applicable and/or available. Required to identify the actual Network Reimbursement ID that was used when multiple Network Reimbursement IDs exist. <i>Payer Requirement: (Same as Imp Guide)</i>

Response Patient Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Returned when any of the field data is known.

Field #	Response Patient Segment Segment Identification (111-AM) = "29"	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) Payer Situation
310-CA	PATIENT FIRST NAME		RW	Imp Guide: Required if known. Payer Requirement Same as Imp Guide
311-CB	PATIENT LAST NAME		RW	Imp Guide: Required if known. Payer Requirement: (Same as Imp Guide
304-C4	DATE OF BIRTH		RW	Imp Guide: Required if known. Payer Requirement: Same as Imp Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

Field #	Response Status Segment Segment Identification (111-AM) = "21"	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: (Same as Imp Guide)
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5	RW	Imp Guide: Required if Approved Message Code (548-6F) is used. Payer Requirement: Same as Imp Guide
548-6F	APPROVED MESSAGE CODE		RW	Imp Guide: Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity. Payer Requirement: Same as Imp Guide
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: (Same as Imp Guide) Note: Current NCPDP and Argus count supported = maximum of 9.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: (Same as Imp Guide)
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail. Payer Requirement: (Same as Imp Guide)

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement: (Same as Imp Guide)</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement: (Same as Imp Guide)</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement: (Same as Imp Guide)</i> <i>Note: Help Desk Phone Number may continue to be returned in 526-FQ Additional Message Information field.</i>

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
5Ø5-F5	PATIENT PAY AMOUNT		R	
5Ø6-F6	INGREDIENT COST PAID		R	
5Ø7-F7	DISPENSING FEE PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. <i>Payer Requirement: (Same as Imp Guide)</i>
558-AW	FLAT SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement. <i>Payer Requirement: (Same as Imp Guide)</i>

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	<p><i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.</p> <p>Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø).</p> <p>Required if Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used.</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
56Ø-AY	PERCENTAGE SALES TAX RATE PAID		RW	<p><i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	<p><i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
521-FL	INCENTIVE AMOUNT PAID		RW	<p><i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.</p> <p>Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø).</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
563-J2	OTHER AMOUNT PAID COUNT	Maximum count of 3.	RW	<p><i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used.</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	<p><i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used.</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
565-J4	OTHER AMOUNT PAID		RW	<p><i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.</p> <p>Required if Other Amount Claimed Submitted (48Ø-H9) is greater than zero (Ø).</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<p><i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.</p> <p>Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
5Ø9-F9	TOTAL AMOUNT PAID		RW	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	<p><i>Imp Guide:</i> Required if Ingredient Cost Paid (5Ø6-F6) is greater than zero (Ø).</p> <p>Required if Basis of Cost Determination (432-DN) is submitted on billing.</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>
512-FC	ACCUMULATED DEDUCTIBLE AMOUNT		RW	<p><i>Imp Guide:</i> Provided for informational purposes only.</p> <p><i>Payer Requirement: (Same as Imp Guide)</i></p>

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement: (Same as Imp Guide)</i>
514-FE	REMAINING BENEFIT AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement: (Same as Imp Guide)</i>
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes deductible <i>Payer Requirement: (Same as Imp Guide)</i>
518-FI	AMOUNT OF COPAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes copay as patient financial responsibility. <i>Payer Requirement: (Same as Imp Guide)</i>
520-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes amount exceeding periodic benefit maximum. <i>Payer Requirement: (Same as Imp Guide)</i>
571-NZ	AMOUNT ATTRIBUTED TO PROCESSOR FEE		RW	<i>Imp Guide:</i> Required if the customer is responsible for 100% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay. <i>Payer Requirement: (Same as Imp Guide)</i>
572-4U	AMOUNT OF COINSURANCE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes coinsurance as patient financial responsibility. <i>Payer Requirement: (Same as Imp Guide)</i>
128-UC	SPENDING ACCOUNT AMOUNT REMAINING		RW	<i>Imp Guide:</i> This dollar amount will be provided, if known, to the receiver when the transaction had spending account dollars reported as part of the patient pay amount. <i>Payer Requirement: (Same as Imp Guide)</i>
129-UD	HEALTH PLAN-FUNDED ASSISTANCE AMOUNT		RW	<i>Imp Guide:</i> Required when the patient meets the plan-funded assistance criteria, to reduce Patient Pay Amount (505-F5). The resulting Patient Pay Amount (505-F5) must be greater than or equal to zero. <i>Payer Requirement: (Same as Imp Guide)</i>
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another <i>Payer Requirement: (Same as Imp Guide)</i>
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a Brand drug. <i>Payer Requirement: (Same as Imp Guide)</i>
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product. <i>Payer Requirement: (Same as Imp Guide)</i>

Response Pricing Segment Segment Identification (111-AM) = "23"				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (505-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product. <i>Payer Requirement: (Same as Imp Guide)</i>
148-U8	INGREDIENT COST CONTRACTED/REIMBURSABLE AMOUNT		RW	<i>Imp Guide:</i> Required when Basis of Reimbursement Determination (522-FM) is "14" (Patient Responsibility Amount) or "15" (Patient Pay Amount) unless prohibited by state/federal/regulatory agency. <i>Payer Requirement: (Same as Imp Guide)</i>
149-U9	DISPENSING FEE CONTRACTED/REIMBURSABLE AMOUNT		RW	<i>Imp Guide:</i> Required when Basis of Reimbursement Determination (522-FM) is "14" (Patient Responsibility Amount) or "15" (Patient Pay Amount) unless prohibited by state/federal/regulatory agency. <i>Payer Requirement: (Same as Imp Guide)</i>

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Used when needed to relay DUR information to the pharmacy.

Response DUR/PPS Segment Segment Identification (111-AM) = "24"				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used. <i>Payer Requirement: (Same as Imp Guide)</i>
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected. <i>Payer Requirement: (Same as Imp Guide)</i>
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement: (Same as Imp Guide)</i>
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement: (Same as Imp Guide)</i>
530-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used. <i>Payer Requirement: (Same as Imp Guide)</i>
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (530-FU) is used. <i>Payer Requirement: (Same as Imp Guide)</i>

Response DUR/PPS Segment Segment Identification (111-AM) = "24"				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> (Same as Imp Guide)
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> (Same as Imp Guide)
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> (Same as Imp Guide)
570-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> (Same as Imp Guide)

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Returned if Network Reimbursement ID is applicable.

Response Insurance Segment Segment Identification (111-AM) = "25"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
545-2F	NETWORK REIMBURSEMENT ID		RW	<i>Imp Guide:</i> Required if needed to identify the network for the covered member. Required if needed to identify the actual Network Reimbursement ID, when applicable and/or available. Required to identify the actual Network Reimbursement ID that was used when multiple Network Reimbursement IDs exist. <i>Payer Requirement:</i> (Same as Imp Guide)

Response Patient Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Used if Patient information is known.

	Response Patient Segment Segment Identification (111-AM) = "29"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	PATIENT FIRST NAME		RW	Imp Guide: Required if known. Payer Requirement: (Same as Imp Guide)
311-CB	PATIENT LAST NAME		RW	Imp Guide: Required if known. Payer Requirement: (Same as Imp Guide)
304-C4	DATE OF BIRTH		RW	Imp Guide: Required if known. Payer Requirement: (Same as Imp Guide)

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: (Same as Imp Guide)
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR			Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence. Payer Requirement: (Same as Imp Guide)
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: (Same as Imp Guide) Note: Current NCPDP and Argus count supported = maximum of 9.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: (Same as Imp Guide)
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail. Payer Requirement: (Same as Imp Guide)
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Imp Guide: Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. Payer Requirement: (Same as Imp Guide)
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Imp Guide: Required if Help Desk Phone Number (550-8F) is used. Payer Requirement: (Same as Imp Guide)

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
55Ø-8F	HELP DESK PHONE NUMBER		RW	<p><i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.</p> <p><i>Payer Requirement:</i> (Same as Imp Guide) <i>Note:</i> Help Desk Phone Number may continue to be returned in 526-FQ Additional Message Information field.</p>

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<p><i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).</p>
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	To be sent if additional information is to be sent to the pharmacy.

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<p><i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.</p> <p><i>Payer Requirement:</i> (Same as Imp Guide)</p>
439-E4	REASON FOR SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if utilization conflict is detected.</p> <p><i>Payer Requirement:</i> (Same as Imp Guide)</p>
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p><i>Payer Requirement:</i> (Same as Imp Guide)</p>
529-FT	OTHER PHARMACY INDICATOR		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p><i>Payer Requirement:</i> (Same as Imp Guide)</p>
53Ø-FU	PREVIOUS DATE OF FILL		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p>Required if Quantity of Previous Fill (531-FV) is used.</p> <p><i>Payer Requirement:</i> (Same as Imp Guide)</p>
531-FV	QUANTITY OF PREVIOUS FILL		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p>Required if Previous Date Of Fill (53Ø-FU) is used.</p> <p><i>Payer Requirement:</i> (Same as Imp Guide)</p>

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement: (Same as Imp Guide)</i>
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement: (Same as Imp Guide)</i>
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement: (Same as Imp Guide)</i>
57Ø-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement: (Same as Imp Guide)</i>

Response Prior Authorization Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	To be sent if Prior Authorization information is needed.

	Response Prior Authorization Segment Identification (111-AM) = "26"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PY	PRIOR AUTHORIZATION NUMBER–ASSIGNED		RW	<i>Imp Guide:</i> Required when the receiver must submit this Prior Authorization Number in order to receive payment for the claim. <i>Payer Requirement: (Same as Imp Guide)</i> <i>Note: Prior Authorization Number may continue to be returned in 526-FQ Additional Message Information field.</i>

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Used If additional messaging is needed.

	Response Message Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill Rejected/Rejected
--	---	--	--	--

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement: (Same as Imp Guide)</i>

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Field #	Response Status Segment Segment Identification (111-AM) = "21"	Value	Payer Usage	Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement: (Same as Imp Guide)</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement: (Same as Imp Guide)</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement: (Same as Imp Guide)</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement: (Same as Imp Guide)</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement: (Same as Imp Guide)</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used. <i>Payer Requirement: (Same as Imp Guide)</i>
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement: (Same as Imp Guide)</i> <i>Note: Help Desk Phone Number may continue to be returned in 526-FQ Additional Message Information field.</i>

** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet **